# ESTIMATION OF KARLUK LAKE EARLY AND LATE RUN SOCKEYE RETURNS BASED ON SCALE AGE DATA, 1985-1994

By

Bruce M. Barrett and Patricia A. Nelson

Regional Information Report<sup>1</sup> No. 4K95-44

Alaska Department of Fish and Game Commercial Fisheries Management and Development Division 211 Mission Road Kodiak, Alaska 99615

November 1995

<sup>&</sup>lt;sup>1</sup>The Regional Information Report Series was established in 1987 to provide an information access system for all unpublished division reports. These reports frequently serve diverse ad hoc informational purposes or archive basic uninterpreted data. To accommodate timely reporting of recently collected information, reports in this series undergo only limited internal review and may contain preliminary data; this information may be subsequently finalized and published in the formal literature. Consequently, these reports should not be cited without prior approval of the author or the Commercial Fisheries Management and Development Division.

# **ACKNOWLEDGEMENTS**

This report is based on data contributed by fulltime and seasonal Kodiak Commercial Fisheries Management and Development Division staff. The authors would like to thank Tony Chatto, U.S. Fish and Wildlife Service, for assistance in gathering research material. Ivan Vining provided biometric assistance. Charles Swanton was the primary editor. Additional editorial comments were provided by Dave Prokopowich, Dave Jackson, Lew Coggins, and Doug Pengilly. Lucinda Neel's publication expertise is appreciated.

# TABLE OF CONTENTS

LIST OF TABLES	i
LIST OF FIGURES	ii
LIST OF APPENDICES	iii
INTRODUCTION	1
METHODS	2
Escapement Enumeration and Sampling	2
Catch Numbers and Sampling	3
Estimation of Catch Age Composition by Area and Week	4
Karluk Catch Assignment	5
Uyak and Uganik Bays	5
Run and Return Numbers	6
RESULTS	6
Early Run and Returns	7
Late Run and Returns	7
DISCUSSION	8
LITERATURE CITED	9
TABLES	11
FIGURES	32
APPENDIX	45

# LIST OF TABLES

<u> [able</u>		Page
1.	Percent age composition of sockeye salmon escapements from select systems, through 21 July 1985-1994	11
2.	Estimated age composition of sockeye salmon escapements from select systems, in number of fish, through 21 July 1985-1994	13
3.	Percent age composition of sockeye salmon escapements from select systems post 21 July 1985-1994	15
4.	Estimated age composition of sockeye salmon escapements from select systems, in number of fish, post 21 July 1985-1994	17
5.	Estimated age composition (in percent) of selected westside Kodiak sockeye catches, by area, through 15 July 1985-1994	19
6.	Estimated age composition (number of fish) of selected westside Kodiak sockeye catches, by area, through 15 July 1985-1994	21
7.	Estimated age composition (in percent) of selected westside Kodiak sockeye catches, by area, post 15 July 1985-1994	23
8.	Estimated age composition (number of fish) of selected westside Kodiak sockeye catches, by area, post 15 July 1985-1994	25
9.	Karluk early and late run sockeye salmon estimates, 1985-1994	27
10.	Estimated Karluk early run sockeye salmon run numbers by age class, 1985-1994	28
11.	Karluk early run sockeye salmon estimated returns from parent escapements, in numbers of fish by age, for selected years	29
12.	Estimated Karluk late run sockeye salmon run numbers by age class, 1985-1994	30
13.	Karluk late run sockeye salmon estimated returns from parent escapements, in numbers of fish by age, for selected years	31

# LIST OF FIGURES

<u>Figur</u>	<u>e</u>	Page
1.	Map of Kodiak Island, identifying the location of the Karluk River drainage	32
2.	Map showing the Northwest and Southwest Kodiak Districts and Sections from Raspberry Cape south to Sturgeon Head	33
3.	Karluk River drainage, Kodiak Island, Alaska	34
4.	Estimated Karluk early and late run sockeye salmon escapement timing, 1983-1994	35
5.	Average percent age 3. (3.2, 3.3, 3.4) fish from selected escapements through 21 July, 1990 through 1994	36
6.	Average percent age 3. (3.2, 3.3, 3.4) fish from selected escapements post 21 July, 1990 through 1994	37
7.	Relative frequency of age 3. (3.2, 3.3, 3.4) sockeye in Karluk escapements through 21 July and catches from Uyak and Uganik Bays through 15 July, by year, 1985-1994	38
8.	Relative frequency of age 3. (3.2, 3.3, 3.4) sockeye in Karluk escapements post 21 July and catches from Uyak and Uganik Bays post 15 July, by year, 1985-1994	39
9.	Contribution of Karluk origin sockeye salmon to the Uyak Bay (254-10-254-40) commercial fishery, by week, 1992	40
10.	Contribution of Karluk origin sockeye salmon to the Uyak Bay (254-10-254-40) commercial fishery, by week, 1993	41
11.	Contribution of Karluk and Spiridon origin sockeye salmon to the Uyak Bay (245-10-40) commercial fishery, by week, 1994	42
12.	Karluk early run sockeye escapements and estimated catches by year, 1985-1994	43
13.	Karluk late run sockeye escapements and estimated catches by year, 1985-1994	44

# LIST OF APPENDICES

Apper	<u>ndix</u>	Page
A.1.	Spreadsheet template used to estimate the Karluk contribution to westside catches	
	using the age 3. marker	46

#### INTRODUCTION

The Karluk River system, located on the west side of Kodiak Island, supports notable chinook, sockeye, pink, and coho salmon runs utilized by commercial, recreational, and subsistence fishers and wildlife, particularly brown bears. This drainage includes Karluk, O'Malley, and Thumb Lakes, and numerous tributaries (Figures 1-3). Karluk Lake, at 19.6 km long, 3.1 km wide, with a surface area of 3,900 ha, is the largest waterbody on Kodiak Island. Among the salmon species utilizing the Karluk drainage, sockeye salmon are the most commercially significant and valuable for sustaining wildlife populations. Annually, adult sockeye salmon enter the Karluk system from late May through late September (Figure 4; Barrett and Nelson 1994). Spawning occurs within a variety of habitats including nearly all the lake inlet streams and lake shoals (Groot and Margolis 1991). Rearing juvenile sockeye salmon utilize Karluk, O'Malley, and Thumb Lakes for usually two to three years prior to smolting (Koenings and Burkett 1987). The significant number of age 3. smolt is unique to Karluk and can be used as a natural age marker for identification of returning adults (Swanton and Nelson 1994).

Karluk was at one time considered one of the largest sockeye salmon producing systems for its size in the world, with terminal catches in the late 1800's often exceeding 2-million fish (Foerster 1986; Gard et al. 1987). Recently, Karluk's sockeye production has been considerably less than in early years, however it is still considered a major Kodiak sockeye system. A variety of factors probably contributed to the production decline including but not limited to excessive harvesting in the early part of this century, reduction in lake fertility, and decreases in rearing fry survival (Barnaby 1944; Rounsefell 1958; Owen et al. 1962; Koenings and Burkett 1987).

Accurate assignment of sockeye catch to the Karluk system is essential for forecasting, evaluating escapement goals, and run timing determination. In the 1800's, nearly all the commercial fishing on Karluk sockeye was conducted using beach seines at the Karluk River spit (Roppel 1986). During those early years, catch assignment was simple; whatever was harvested at the Karluk spit was assigned to the Karluk system. In the early 1900's, the opportunity to fish in the outer bays and capes was realized through the pioneering efforts of commercial fishers using fish traps and purse seines. By 1922 fish traps were common in Uganik and Uyak Bays, and by 1931 they accounted for 57% of the catch (Roppel 1986). With a major shift in fishing effort from the terminal area at the Karluk spit to outside waters, there was concern that multiple stocks may be contributing to the fishery which would compromise the accuracy of catch assignment to the Karluk system. To determine the origin of the sockeye catch in these outer waters, Rich and Morton (1929) tagged 700 sockeye salmon on 19-20 August 1927 at Broken Point (Uganik Bay). On the basis of 403 recoveries, they concluded that Karluk was the stock of origin for all sockeye salmon caught between Cape Karluk and West Point (Uganik Bay). Rounsefell (1958) reaffirmed this assertion when he reported that the 1904-1953 catch assignments to Karluk were probably

reasonably accurate, especially for the 1904-25 period based on: (1) the low frequency of non-Kodiak sockeye salmon recoveries in the Kodiak Island area as identified from the August tagging experiments; (2) the likelihood that some island bound salmon were probably harvested in mainland fisheries, which would balance the non-Kodiak fish harvested in the Kodiak area; and (3) the relatively low abundance of other Kodiak sockeye stocks relative to Karluk.

Research conducted by Thompson (1950) and Rounsefell (1958) postulated that there were three Karluk sockeye runs: a spring run with a migration through 21 June; a summer run or middle run migrating from 22 June through 16 August; and a late run with migration timing post 16 August. The middle run was considered to have been harvested much more intensely than either the early or late runs which lead to its presumed demise.

Currently, the Karluk system is managed for a bimodal time of entry on two runs, an early and a late run. The early run escapement period is from 25 May to 21 July, with the peak being around 12 June (Barrett and Swanton 1992; Barrett and Nelson 1994). The late run escapement occurs from 22 July to 31 September and peaks about 7 September. There is almost a five week period between the runs when sockeye abundance is low (Figure 4). The early run escapement goal was adjusted in 1992 based on spawner recruit data (1980-1986) and limnological characteristics which indicated that a reduction in the early run goal to 150,000-250,000 was desirable. The late run minimum escapement goal increased from 310,000 to 400,000 (Prokopowich et al. 1994).

In this report, we use a natural age marker to estimate the number by age class of Karluk bound sockeye salmon harvested in the westside Kodiak commercial fishery from Raspberry Cape south to Sturgeon Head for 1985 through 1994. Early and late run numbers are estimated separately and brood tables are constructed. Additionally, we address the likelihood that early century catches of local and non-local origin were misclassified to the hypothesized Karluk middle run stock.

#### **METHODS**

### Escapement Enumeration and Sampling

The 1980-1994 salmon escapement numbers for Karluk, Red River (Ayakulik), Upper Station, Dog Salmon (Frazer), and Uganik Lake (1990-93) were obtained from the Alaska Department of Fish and Game (ADF&G), Commercial Fisheries Management and Development Division database of weir counts for the Kodiak Management Area. At each weir location (Karluk, Red River, Upper Station, and Frazer) about 240 sockeye salmon were sampled weekly for age,

length, and sex. Remote sampling at Uganik Lake occurred annually during the peak escapement (n=600) using a beach seine. Exceptions occurred in years 1990-1993 when a weir was installed at Uganik River and operated by FWS. During this period, weekly samples were taken on a fish available basis with a targeted total sample size of 600 fish. A single scale was collected from each fish sampled for age classification following the convention of the International North Pacific Fisheries Commission (INPFC 1963). Specific sampling procedures are reported in ADF&G (1994). Preparation of scales along with age designation rules followed Koo (1962). Ages were assigned using a microfiche reader (48x lens) and recorded using European notation. When ocean age was questionable due to scale margin resorption, length-at-age frequency distributions were used to estimate ocean age. Ocean ages were assigned based on known ocean age ratios at specific length intervals for each sex. Daily age composition was estimated using linear interpolation between sampling events. Additional procedures for summarizing age composition data are reported in Blackburn (1993).

## Catch Numbers and Sampling

Commercial catch numbers were compiled from ADF&G databases created annually using individual harvest receipts (fish tickets). These databases were used to obtain daily commercial sockeye catches from the Northwest Kodiak District by statistical area and the Inner and Outer Karluk and Sturgeon Sections. Geographically, this encompasses the westside of Kodiak Island from Raspberry Cape south to Sturgeon Head, and includes Kupreanof Strait, Viekoda, Terror, Uganik, and Uyak Bays (Figure 2).

The Northwest Kodiak District commercial sockeye harvest in Uganik Bay (statistical areas 253-11 through 253-35) and Uyak Bay (statistical areas 254-10 through 254-40) was sampled weekly with a targeted sample size of 600 fish (scales) per area per week. Scales were collected at a variety of processing facilities throughout the Kodiak Management Area in order to provide adequate representation of the catch. The Southwest Kodiak District including the Inner and Outer Karluk Sections (255-10 and -20) was sampled less frequently, while the catch in the Sturgeon Section (256-40) was not sampled. Scale collection, age assignment, and reporting procedures were the same as used for escapement samples. Reported catch-at-age estimates may not equal the total catch due to rounding.

# Estimation of Catch Age Composition by Area and Week

Area	Procedure
Uyak and Uganik Bays	Sampled daily catches were assigned the age composition of the sample; catch on non-sampled days was assigned the linear interpolated age composition value for that day as derived from adjacent samples. Daily catches which occurred before the first catch sample or after the last sample were assigned the age composition of the sample collected closest in time. The exceptions applied to unsampled catches post 15 August as follows: (1) weekly catches that occurred within two or less weeks of the last sample were assigned the age composition of that sample; (2) a catch period of seven days or less that occurred more than two weeks after the last weekly sample, was assigned the Karluk late run escapement age composition from the following week; (3) a catch extending over a period of greater than seven days that occurred more than two weeks after the last weekly sample, was assigned the age composition of the Karluk late run escapement for the season. In all situations where escapement was used to estimate the catch age composition, the escapement age composition was adjusted to 100% after removing the age .1 components to account for gear selectivity.
Inner and Outer Karluk and Sturgeon Sections	Sampled daily catches were assigned the age composition of the sample; catch on non-sampled days was assigned the linear interpolated age composition value for that day as derived from adjacent samples. Daily catches which occurred before the first catch sample or after the last sample were assigned the age composition of the closest sample collected. When a weekly catch sample was available from the Inner and Outer Karluk Sections but not for the Sturgeon Section, the Karluk catch sample was used to describe the age composition of the Sturgeon Section catch provided the Karluk sample was collected within two or less weeks of the Sturgeon catch. When a Karluk catch sample did not exist and a catch occurred during a seven or less day period, the catch was assigned the age composition of the Karluk escapement sample from the following week. If the catch occurred over a period of more than seven days, the catch was assigned the age composition of the Karluk escapement summary for the early or late run depending on when the catch occurred. In all situations where escapement was used to estimate catch age composition, the escapement age composition was adjusted to 100% after removing the age .1 components.

## Karluk Catch Assignment

Early and late run contributions were estimated independently in all calculations. All catches through 15 July were treated as the early run migration period, while post 15 July catches were treated as the late run period. The corresponding escapement periods were pre 22 July (early run) and post 21 July (late run).

### Uyak and Uganik Bays

Three assumptions were made in estimating the Karluk contribution to the Kodiak westside sockeye catch. The first was that age 3. fish were present only in the Karluk system, and therefore were a natural marker of Karluk sockeye salmon. The second was that there was significant gear selectivity against age 3.1 and other age .1 fish. Lastly, it was assumed that the proportion of non-age 3. Karluk fish in the Karluk bound catch was the same as the non-age 3. fish in the Karluk escapement. Following these assumptions, only the age 3.2, 3.3, and 3.4 fish from the catch and the escapement were used to estimate the other ages of the westside Karluk catch. To adjust for the potential bias of age .1 fish, the percent age compositions of the catch and the escapement were recomputed to 100% with the age .1 fish excluded. The contribution of all non-age .1 Karluk fish was then estimated using the following formula:

$$X_{ij} = B_{ij}/A_j * 100$$

Where:

A = Estimated percentage of age 3.2, 3.3, and 3.4 fish in the Karluk escapement.

B = Estimated percentage of age 3.2, 3.3, and 3.4 fish in the catch.

X = Estimated percentage of non-age .1 Karluk River fish in the catch.

i = specific catch area

i = run (early or late)

If B>A, then assume X = 100%

After the number of non-age .1 Karluk fish was estimated, an age class composition was applied to the non-age .1 Karluk River fish in the catch. The age 3.2, 3.3, and 3.4 fish in the catch were assigned 100% to Karluk; the remaining non-age .1 components were determined from the age composition of the Karluk escapement as adjusted to 100% with the age .1 and age 3. components removed.

The age .1 Karluk catch component was estimated by: (1) assigning all of the age 3.1 fish in an areas catch to Karluk; and (2) using the ratios of age 3.1 to age 1.1 and age 3.1 to age 2.1 within the escapement to calculate the number of age 1.1 and age 2.1 fish in the catch.

An example of the Lotus spreadsheet used for estimating the Karluk component of the catch is provided in Appendix A.

# Inner and Outer Karluk and Sturgeon Sections

Sampled sockeye catches from Inner and Outer Karluk and Sturgeon Sections were assigned to Karluk using the same analyses applied to Uganik and Uyak Bays. During weeks when a catch sample was not available, the catch was assumed to be 100% Karluk fish and age composition estimates were determined using the appropriate Karluk escapement age composition after removing the age .1 component.

#### Run and Return Numbers

In this document, the run is defined as catch plus escapement in numbers of fish, while return is the estimated number of adults produced from a particular brood years escapement. Karluk run numbers by age class were determined by summing the escapement and assigned catch numbers by age class and year. Karluk return numbers by age class were estimated by assigning the run numbers by age class to their respective parent year escapement. Reported run-at-age estimates may not equal the total run due to rounding. Return-per-spawner estimates where calculated by dividing the return by its respective parent year escapement.

#### **RESULTS**

The estimated age composition of Karluk early run sockeye escapements from 1985 through 1994 identify a significant number (>15%) of age 3.2 and 3.3 sockeye salmon (range 15.6% (1989) to 70.3% (1993)). Age 3.2 and 3.3 fish from all other major Kodiak systems individually represent less than 5% of the escapement (with the exception of Red River at 7.8% in 1993) through 21 July (1985-1994; Tables 1 and 2). The 1990-1994 average relative frequencies of age 3.2, 3.3, and 3.4 fish for these systems were 43.1% for the Karluk early run escapement, 2.5% for Red River, 2.5% for Frazer, 0.7% for Upper Station, and 0.2% for Uganik (Figure 5).

Late run age composition estimates relied on length-at-age frequency distribution to assign ocean ages during 1987-1991 and 1993-1994. Late run sockeye escapements to Karluk show the age 3.2 and 3.3 combined contribution ranging from 8.1% (1989) to 66.2% (1992). The Uganik, Upper Station and Frazer escapements each had less than 6% age 3.2 and 3.3 fish for the same years. The contribution of age 3.2 and 3.3 sockeye to the Red River escapement was 2% or less for all years except 1987 (17.7%; Tables 3 and 4). The 1990-1994 average relative frequencies of age 3.2 and 3.3 fish post 21 July were 40% for the Karluk late run escapement, 2.6% for Red River, 1.6% for Upper Station, 1.6% for Frazer, and 0.2% for Uganik escapements (Figure 6). The Uganik escapements were not sampled with the same frequency as the other systems.

Estimated age compositions of Kodiak westside commercial catches in Uganik and Uyak Bays confirm the presence of age 3. sockeye in both the early and late run periods from 1985 to 1994 (Tables 5-8; Figures 7-8). The age 3. components of catches from Uyak and Uganik Bays through 15 July were less than 10% from 1985 through 1991. The age 3. component increased to greater than 15% of the catch in following years with a similar pattern evident in the Karluk early run escapement (Figure 7). The proportions of age 3. fish caught in Uyak and Uganik Bays post 15 July show a substantial increase from 1990 to 1993 commensurate with the increase in

the age 3. component of the Karluk late run escapement. The relative frequency of age 3. fish within the catch in 1994 fell between 5% and 11% (Figure 8).

Karluk escapements have averaged 819,801 fish during the study period (excluding 1989), and the early and late runs combined have produced an estimated average annual harvest of 518,347 sockeye salmon (114,730 early run; 403,617 late run) in the Kodiak westside fisheries between Raspberry Cape and Sturgeon Head (Table 9). The estimated total run from 1985 through 1994 has averaged 1.3 million fish with the late run accounting for about 70% of the total.

Typically during late June and July, Karluk sockeye salmon are not dominant in the westside Kodiak catch. For example, the 1992, 1993, and 1994 weekly catch contribution estimates for Uyak Bay indicate that the late June and July catch primarily consisted of other (non-Karluk) sockeye stocks (Figures 9-11). Post July during 1992 and 1993, Karluk fish dominated the catch; in 1994 Karluk fish were a minority in the post July catch due to the rather large return of a recently developed sockeye run to Spiridon Lake (Nelson and Barrett 1994).

## Early Run and Returns

For the 10-year period of 1985-1994, the estimated early Karluk sockeye run has averaged 388,672 fish (228,218 to 543,258; Table 9). Dominant ages within these runs have been 2.2, 2.3, 3.2, and 3.3 fish (Table 10).

The 1980-1988 early run sockeye escapements into Karluk have produced runs averaging 400,214 fish ranging from 261,977 to 574,387 fish (Table 11). The average return-per-spawner (R/S) for this period is estimated at 2.1 (range: 0.9 to 5.0) from an average parent year escapement of 242,569 fish (97,937 to 358,756).

The early run return-per-spawner values for brood years 1980-1988 show two production levels (Table 11). The escapements with greater than 200,000 fish have had low returns or below average return-per-spawner values (0.9-1.9), while the escapements below 150,000 have return-per-spawner values (3.1-5.0) in excess of the values for systems managed at or near optimum production (2.6; Chapman 1986).

#### Late Run and Returns

For the 10-year period of 1985-1994, the estimated Karluk late run has averaged 926,873 fish (range: 410,029 - 1,929,796; Table 9). During this period, age 2.2, 2.3, 3.2, and 3.3 fish were dominant (Table 12).

The 1980-1988 escapements of Karluk late run fish have produced an estimated average return of 952,489 fish (range: 463,075 - 1,838,274; Table 13). During this period, the escapements have ranged from a mere 14,227 fish in 1980 to a high of 679,260 fish in 1985, and have averaged 270,609 fish.

Late run R/S estimates for the 1980-1988 period, range from a low of about 1.6:1 for the 1987 brood year to a high of 67.6:1 for the 1980 brood year (Table 13). Excluding 1980 and 1982

values due to less than 100,000 fish escapements, the R/S range is 1.6:1 (1987) to 8.4:1 (1984), with an average of 3.7:1. The escapements in the 200-300 thousand range have averaged 2.2:1 R/S and in the 400,000 to 700,000 fish range 2.6:1 R/S.

#### DISCUSSION

In recent years (1992 to 1994), the early run has provided substantial fishing time for permit holders (D. Prokopowich, Alaska Department of Fish and Game, Kodiak, personal communication). Although the late run escapement goal has been met since 1985, recent year catches have been somewhat sporadic and less than expected (Figures 12-13). The variation of sockeye stock composition between weeks, months, and years as defined for Uyak Bay from 1992-1994 alone illustrates the continued necessity for conducting westside Kodiak stock separation (Figures 9-11). Without accurate catch assignment, fishery and escapement goal evaluations and forecasting are seriously compromised.

We suspect that for most of the early years (pre 1985) there were substantial errors in the assignment of westside catch to the Karluk system. In particular, the Karluk "middle" run may have developed at the expense of other local and non-local sockeye stocks contributing to the harvest. Although this may have been the best approach for that period, catch estimates founded upon these limited tagging experiments should be used with discretion.

The Karluk early and late run catch apportionment using the age 3. marker is not without error. In a study using age 0. and 3. markers conducted during July 1992 and 1993, when the proportions of age 3. fish in the catches were substantially lower than those reported herein, the 90% confidence intervals were about  $\pm$  35% (Swanton and Nelson 1994.) We feel that this would be the maximum error one would expect for any of the yearly catch estimates presented. A variance estimator for this methodology is presently being refined.

The effects of lake fertilization conducted at Karluk Lake from 1986-1990 by the Alaska Department of Fish and Game Division of Fisheries Rehabilitation, Enhancement and Development (White 1991) coupled with escapement goal adjustments made in 1992 cannot be fully evaluated until recruitment is complete (1997-1999).

Return-per-spawner estimates do not take into account the early and late run rearing interaction. Nutrient loading from carcasses and competition for food are two factors that should be fully addressed prior to escapement goal revisions and caution should be exercised.

#### LITERATURE CITED

- ADF&G (Alaska Department of Fish and Game). 1994. Kodiak and Chignik management areas salmon research operational plans, 1994. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K94-26, Kodiak.
- Barnaby, J.T. 1944. Fluctuations in abundance of red salmon, *Oncorhynchus nerka* (Walbaum), of the Karluk River, Alaska, Fish. Bull. 39: 237-295
- Barrett, B.M., and P.A. Nelson. 1994. Estimated run timing of selected sockeye salmon stocks on the west and east sides of Kodiak Island. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K94-6, Kodiak.
- Barrett, B.M., and C.O. Swanton. 1992. Estimation of the major sockeye salmon stocks contributing to the North Shelikof Strait fishery of July 6-25, 1988-1992. Alaska Department of Fish and Game, Division of Commercial Fisheries, Regional Information Report 4K92-43, Kodiak.
- Blackburn, J. 1993. Documentation for the application redage. Alaska Department of Fish and Game, Division of Commercial Fisheries, (Region IV unpublished report), Kodiak.
- Chapman, D.W. 1986. Salmon and steelhead abundance in the Columbia River in the Nineteenth Century. Transactions of the American Fisheries Society, 115:662-670.
- Foerster, R.E. 1986. The sockeye salmon, (Oncorhynchus nerka). Bulletin 162, Fisheries Research Board of Canada, 422pp, Ottawa, Canada.
- Gard, R., B. Drucker, and R. Fagen. 1987. Differentiation of subpopulations of sockeye salmon (*Oncorhynchus nerka*), Karluk River System, Alaska, p. 408-418. *In* H.D. Smith, L. Margolis, and C.C. Wood (ed.) Sockeye salmon (*Oncorhynchus nerka*) population biology and future management. Can. Spec. Publ. Fish. Aquat. Sci. 96.
- Groot, C., and L. Margolis, editors. 1991. Pacific Salmon Life Histories. UBS Press ISBN 0-7748-0359-2, Vancouver, Canada.
- INPFC (International North Pacific Fisheries Commission). 1963. Annual Report, 1961, Vancouver, British Columbia.
- Koenings, J.P., and R.D. Burkett. 1987. An aquatic Rubic's cube: restoration of the Karluk Lake sockeye salmon (*Oncorhynchus nerka*), p. 419-434. *In* H.D. Smith, L. Margolis, and C.C. Wood [ed.] Sockeye salmon (*Oncorhynchus nerka*) population biology and future management. Can. Spec. Publ. Fish. Aquat. Sci. 96.
- Koo, T.S.Y. 1962. Studies of Alaska red salmon. University of Washington, Publications in Fisheries, New series, Volume I. Seattle.

# LITERATURE CITED (Cont.)

- Nelson, P.A., and B.M. Barrett. 1994. An estimate of the number of Spiridon Lake Sockeye salmon commercially harvested within the Northwest Kodiak and Southwest Kodiak Districts, 1994. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K94-43, Kodiak.
- Owen, J.B., C.Y. Conkle, and R.F. Raleigh. 1962. Factors possibly affecting production of sockeye salmon in Karluk River Alaska. U.S. Fish and Wildlife Serv., Manuscript Report 62-8, Auke Bay, Alaska.
- Prokopowich, D., K. Brennan, and D. Gretsch. 1994. Kodiak area commercial fishery harvest strategy, 1994. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K94-21, Kodiak.
- Rich, W.H., and F.G. Morton. 1929. Salmon tagging experiments in Alaska 1927 and 1928. U.S. Bureau of Fisheries, Bulletin Volume 45, Washington, D.C.
- Roppel, P. 1986. Salmon from Kodiak: An history of the salmon fisheries of Kodiak, Island, Alaska, Alaska Historical Commission, Anchorage.
- Rounsefell, G.A. 1958. Factors causing decline in sockeye salmon of Karluk River, Alaska. U.S. Fish and Wildlife Serv., Fish. Bull. 130, 58:83-169.
- Swanton, C.O., and P.A. Nelson. 1994. Contribution of Karluk and Upper Station late run sockeye salmon to the Sitkalidak, Alinchak, and Katmai Sections July fisheries, 1992-1993. Alaska Department of Fish and Game, Commercial Fisheries Management and Development Division, Regional Information Report 4K94-3, Kodiak.
- Thompson, W.F. 1950. Some salmon research problems in Alaska. Nat. Res. Council, Alaska Sci. Conf. Section of Zoology, Nov. 9-11, 1950, Washington, D.C.
- White, L. E. 1991. Kodiak area sockeye salmon rehabilitation and enhancement annual report 1991. Alaska Department of Fish and Game, Division of Fisheries Rehabilitation, Enhancement, and Development, No. AFS 52-4, Juneau.

Table 1. Percent age composition of sockeye salmon escapements from select systems, through 21 July 1985-1994.<sup>a</sup>

Year	Sample										\ges											
System	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	4.1	2.4	3.3	4.2	3,4	4.3	4.4	Total
1985																						
Karluk	1,131	0.0	0.0	0.4	0.0	2.5	5.9	0.0	3.4	55.6	1.3	0.0	14.6	13.2	0.0	0.0	3.2	0.0	0.0	0.0	0.0	100.0
Uganik	478	0.0	0.0	0.2	0.2	8.8	0.4	0.0	25.9	7.7	0.0	0.0	56.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Red River	596	0.0	0.0	0.7	0.0	41.0	0.9	0.0	26.2	26.3	0.0	0.0	4.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Upper Station	866	0.0	7.3	0.7	1.6	8.4	4.4	0.0	11.8	21.2	0.1	0.1	44.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	100.0
Frazer	631	0.0	0.0	0.2	0.0	0.5	0.2	0.0	0.3	92.0	0.0	0.0	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
986																						
Karluk	964	0.0	0.0	0.0	0.2	1.0	1.4	0.0	0.8	58.6	0.4	0.0	21.8	12.9	0.0	0.1	2.8	0.0	0.0	0.0	0.0	100.0
Uganik	497	0.0	0.0	0.2	0.0	16.9	0.0	0.0	56.4	6.0	0.0	0.2	19.9	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	100.0
Red River	808	0.0	0.0	0.1	1.3	0.2	0.4	0.0	40.2	31.4	0.0	0.1	26.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	100.0
Upper Station	1,183	0.0	0.1	0.6	0.5	52.9	0.4	0.0	2.0	40.0	0.0	0.0	3.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	100.0
Frazer	583	0.0	0.0	0.0	0.0	13.0	0.2	0.0	1.2	4.1	0.0	0.0	79.6	0.5	0.0	0.0	1.4	0.0	0.0	0.0	0.0	100.0
1987																						
Karluk	1,456	0.0	0.0	0.0	0.1	1.9	1.8	0.0	4.9	45.7	1.1	0.0	27.0	8.7	0.0	0.0	8.8	0.0	0.0	0.0	0.0	100.0
Uganik	222	0.0	0.4	0.4	3.2	21.6	0.4	0.0	66.3	3.2	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Red River	1,056	0.0	0.0	4.4	0.7	6.3	5.0	0.2	6.2	34.9	0.1	0.1	40.0	1.9	0.0	0.2	0.0	0.0	0.0	0.0	0.0	100.0
Upper Station	1,492	0.0	0.1	0.0	0.7	3.8	0.8	0.0	52.3	25.7	0.0	0.0	16.5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	100.0
Frazer	377	0.0	0.0	1.1	0.0	12.5	12.2	0.0	53.5	7.4	0.3	0.3	12.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	100.0
1988																						
Karluk	1,430	0.0	0.0	0.0	0.0	1.2	2.7	0.0	4.3	45.1	0.6	0.0	28.1	11.1	0.0	0.1	6 9	0.0	0.0	0.0	0.0	100.0
Uganik	418	0.0	0.7	3.1	0.0	12.9	2.2	0.0	47.4	10.3	0.0	0.0	23.4	0.0	0.0	0.1	00	0.0	0.0	0.0	0.0	100.0
Red River	1,260	0.0	0.0	12.9	0.7	22.0	13.7	0.0	14.9	19.5	0.0	0.2	14.8	0.4	0.0	0.1	0.8	0.0	0.0	0.0	0.0	100.0
Upper Station	1,567	0.0	1.7	0.0	3.3	1.8	0.1	0.0	8.5	70.4	0.0	0.3	13.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.
Frazer	873	0.0	0.0	0.0	0.0	1.2	6.3	0.0	3.0	84.1	0.2	0.2	2.5	2.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	100.0
989																						
Karluk	1,394	0.0	0.0	0.0	0.0	1.2	0.8	0.0	1.7	27.9	0.2	0.0	52.6	9.7	0.0	0.0	5.0	0.0	0.0	0.0	0.0	100 (
	309	0.0	0.0	0.6	0.6	24.3	0.0	0.0	41.8	5.2	0.2	0.0	26.6	9.7 0.6	0.0	0.0	5.9 0.3		0.0			100.0
Uganik Red River		0.0	0.0	0.6	0.6		2.3	0.0				0.0		0.0	0.0			0.0	0.0	0.0	0.0	100.0
	1,255 1,481	0.0	0.0	3.7	2.0	51.9 2.1	2.3 17.1	0.0	11.3 1.7	18.1 37.4	0.0 0.0	0.2	14.9 35.8	0.0	0.0	0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0
Upper Station Frazer	893	0.0	0.0	2.0	0.0	1.5	0.1	0.0	1.7	23.5	0.0	0.0	71.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0 100.0
990	1 404	0.0	0.0	0.0	0.4	27	4.4	0.0	4.7	24.0	4 5	0.0	40.0	444	0.0	0.4	<i>-</i> 7	0.0	0.0	0.0	0.0	400
Karluk	1,424	0.0	0.2	0.0	0.1	2.7	1.1	0.0	1.7	31.9	1.5	0.0	40.8	14.1	0.0	0.1	5.7	0.0	0.0	0.0	0.0	100.0
Uganik	423	0.0	0.0	0.0	0.0	10.9	0.4	0.0	27.1	23.5	0.0	0.0	37.2	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	100.0
Red River	1,319	0.0	0.0	1.3	8.5	8.0	1.7	0.3	50.0	26.0	0.0	0.3	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Upper Station Frazer	1,879 866	0.0 0.0	1.3 0.0	0.0 0.1	0.3 0.0	31.5 73.0	0.6 4.0	0.0 0.0	4.1 5.3	53.4 5.7	0.0 0.0	0.0 0.0	8.7 7.5	0.1 0.3	0.0 0.0	0.0 0.0	0.0 4.1	0.0 0.0	0.0 0.0	0.0 0.0	0.0	100.0 100.0
i iazei	600	0.0	U.U	0.1	0.0	73.0	4.0	U.U	0.0	J.1	U.U	0.0	7.5	0.3	U.U	U.U	4.1	0.0	U,U	U,U	0.0	100.0
991																						
Karluk	1,215	0.0	0.0	0.0	0.5	0.4	1.2	0.1	2.4	32.2	1.7	0.0	32.6	21.4	0.0	0.3	7.1	0.0	0.0	0.0	0.1	100.0
Uganik	410	0.0	0.0	0.7	0.0	4.7	2.4	0.0	47.2	16.5	0.0	0.0	28.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Red River	1,399	0.0	0.1	0.3	1.4	14.4	1.1	0.1	43.5	22.2	0.0	0.4	16.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	100.0
Upper Station	1,455	0.0	0.0	0.0	1.4	1.7	1.1	0.0	24.7	42.3	0.1	0.0	28.6	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	100.0
Frazer	1,077	0.0	0.0	0.7	0.0	0.1	9.2	0.0	15.6	73.7	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0

12

Table 1. (page 2 of 2)

										A	ges											
Year	Sample	•																				
System	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	4.1	2.4	3.3	4.2	3.4	4.3	4.4	Total
1992																						
Karluk	1,188	0.0	0.0	0.6	0.0	1.6	2.5	0.0	1.6	22.0	7.7	0.0	24.8	26.6	0.0	0.4	12.0	0.3	0.0	0.0	0.0	100.0
Uganik	605	0.0	0.0	1.9	0.0	9.1	0.0	0.0	23.0	29.2	0.0	2.1	34.5	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	100.0
Red River	972	0.0	0.0	0.6	0.6	10.4	0.2	0.0	13.7	38.7	0.7	0.0	33.8	8.0	0.0	0.0	0.3	0.0	0.1	0.0	0.0	100.0
Upper Station	1,248	0.0	1.0	2.1	0.2	0.2	4.5	0.0	1.7	70.0	0.1	0.0	18.9	0.8	0.0	0.4	0.1	0.0	0.0	0.0	0.0	100.0
Frazer	840	0.0	0.0	5.9	0.0	4.6	2.8	0.0	0.7	42.8	0.0	0.0	39.9	2.3	0.0	0.3	0.7	0.0	0.0	0.0	0.0	100.0
1993																						
Karluk	1,593	0.0	0.0	0.0	0.0	1.5	0.8	0.0	1.8	15.4	1.5	0.1	8.0	59.4	0.0	0.1	10.9	0.4	0.0	0.0	0.0	100.0
Uganik	347	0.0	0.3	0.0	0.0	18.7	0.0	0.0	30.3	19.0	0.0	0.0	31.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0
Red River	1,550	0.0	0.0	0.1	0.7	2.9	3.6	0.0	7.9	15.4	0.0	0.0	61.3	5.9	0.0	0.2	1.9	0.0	0.0	0.0	0.0	100.0
Upper Station	1,426	0.0	1.5	1.7	6.0	8.8	18.6	0.0	1.6	35.7	0.6	0.0	24.3	8.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	100.0
Frazer	1,293	0.0	0.0	0.3	0.1	45.8	4.1	0.0	4.4	26.1	0.0	0.0	18.3	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	100.0
1994																						
Karluk	1,561	0.0	0.0	0.4	0.0	4.0	0.9	0.0	3.1	23.1	1.7	0.0	8.2	49.4	0.1	0.2	8.7	0.3	0.1	0.0	0.0	100.0
Uganik	. 0	0.0	0.0	0.0	0.0	0.0	0.0	.0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red River	1,439	0.0	0.1	8.4	2.8	0.8	5.2	0.1	5.0	67.2	0.7	0.0	6.3	1,6	0.0	0.0	1.7	0.0	0.0	0.0	0.0	100.0
Upper Station	1,311	0.1	1.3	8.9	0.3	6.0	8.8	0.0	5.1	61.9	0.0	0.2	6.4	1.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	100.0
Frazer	1,247	0.0	0.0	0.3	0.0	1.9	5.9	0.0	23.8	52.6	3.1	0.0	8.6	3.6	0.0	0.0	0.2	0.0	0.0	0.0	0.0	100.0

<sup>&</sup>lt;sup>a</sup> Percent age composition was derived using escapement numbers after rounding. These numbers were calculated by age and day using linear interpolation between weekly sampling events. When escapement occurs prior to the first sample or after the last sample calculations are based on the adjacent sample.

Table 2. Estimated age composition of sockeye salmon escapements from select systems, in number of fish, through 21 July 1985-1994.

ear	Sample _										Ages		····									
System	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	4.1	2.4	3.3	4.2	3.4	4.3	4.4	Tot
985																						
Karluk	1,131	0	0	1,244	. 0	7,828	18,604	0	10,664	176,281	4,085	0	46,083	41,742	0	0	10,157	0	0	0	0	316,6
Uganik	478	0	0	160	160	7,047	320	0	20,741	6,166	0	0	45,405	0	0	0	0	0	0	0	0	80,0
Red River	596	0	0	2,142	0	125,442	2,754	0	80,160	80,466	0	0	14,380	612	0	0	0	0	0	0	0	305,9
Upper Station	866	0	2,005	192	439	2,307	1,208	0	3,241	5,822	27	27	12,084	27	0	0	27	0	0	0	0	27,4
Frazer	631	0	0	832	0	2,081	832	0	1,249	383,348	0	0	28,304	0	0	0	0	0	0	0	0	416,
86																						
Karluk	964	0	0	143	632	3,503	5,127	0	2,814	210,193	1,464	0	78,327	46,112	0	487	9,954	0	0	0	0	358,
Uganik	497	0	0	180	0	15,225	0	0	50,721	5,405	0	180	17,928	180	0	180	0	0	0	0	0	90
Red River	808	0	0	275	3,577	550	1,101	0	110,611	86,398	0	275	72,090	275	0	0	275	0	0	0	0	275
Upper Station Frazer	1,183 583	0	100 0	600 0	500 0	53,033 15,555	400 239	0	2,001 1,436	40,025 4,906	0	0	3,402 95,244	0 598	0 0	0	100 1,675	0	0	0	0	100
Frazei	363	U	Ū	U	U	15,555	235	U	1,430	4,900	U	U	93,244	596	U	U	1,075	U	U	U	U	119,
987 Karluk	1,456	0	0	0	462	6.673	6,357	0	17,281	161,769	2 700	0	95,543	20.052	0	0	24 207	•	0	0	0	254
Nanuk Uganik	222	0	280	280	2,242	0,673 15,135	0,357 280	0	46,386	2,242	3,769 0	0	3,153	30,953 0	0	0	31,287 0	0	0	0	0	354, 70.
Red River	1,056	ő	200	8,093	1,287	11,587	9,196	368	11,403	64,189	184	184	73,569	3,495	0	368	184	ő	0	0	0	184
Upper Station	1,492	ő	76	0,000	608	2,886	608	0	39,723	19,520	0	0	12,532	<b>3,43</b> 3	0	0	104	ő	0	Ö	n	75
Frazer	377	ō	ő	283	0	3,218	3,140	ő	13,797	1,905	77	77	3,218	ő	ő	77	ő	o o	ő	Õ	ő	25,
88																						
Karluk	1,430	0	a	0	0	3,687	8,014	0	12,820	133,735	1,650	0	83,202	32,790	0	247	20,365	0	0	0	0	296
Uganik	418	ō	168	744	ō	3,096	528	ő	11,376	2,472	0	ő	5,616	0	ő	0	0	ŏ	o o	ŏ	ŏ	24
Red River	1,260	0	0	27,477	1,491	46,860	29,181	0	31,737	41,535	213	426	31,524	852	Ō	213	1,704	0	ō	ō	ō	213,
Upper Station	1,567	0	1,002	0	1,944	1,060	59	0	5,008	41,475	0	177	8,130	59	0	0	0	0	0	0	0	58
Frazer	873	0	0	0	0	2,766	14,522	0	6,915	193,851	461	461	5,763	5,302	0	0	461	0	0	0	0	230,
189																						
Karluk	1,394	0	24	0	24	4,258	2,840	0	5,830	97,537	738	0	183,829	33,945	0	0	20,728	0	0	0	0	349
Uganik	309	0	0	457	457	18,505	0	0	31,756	3,960	0	0	20,180	457	0	0	228	0	٥	0	0	76
Red River	1,255	0	0	4,004	3,432	297,442	13,156	0	64,636	103,533	0	1,144	85,229	0	0	0	0	0	0	0	0	572
Upper Station	1,481	0	0	2,390	1,292	1,356	11,044	0	1,098	24,154	0	0	23,120	129	0	0	0	0	0	0	0	64
Frazer	893	0	320	6,398	0	4,799	320	0	3,199	75,180	0	0	229,378	0	0	0	0	0	0	0	0	319,
90																						
Karluk	1,424	0	376	0	275	5,372	2,159	0	3,427	62,580	2,953	0	79,957	27,699	0	275	11,124	0	0	0	0	196
Uganik	423	0	0	0	0	5,993	220	0	14,900	12,921	0	0	20,453	0	0	495	0	0	0	0	0	54
Red River	1,319	0	0	2,649	17,322	16,303	3,464	611	101,894	52,985	0	611	7,948	0	0	0	0	0	0	0	0	203
Upper Station	1,879	0	730	0	1 <del>6</del> 8 0	17,690	337	0	2,303	29,989	0	0	4,886	56	0	0	7 200	0	0	0	0	56,
Frazer	866	U	0	180	U	131,718	7,208	U	9,550	10,271	0	0	13,514	541	0	0	7,388	0	U	0	0	180,
91 Karlut	4.045	^	^	^	4 004	050	2004	000	6 75-	70.055	4.004		70.400	E4 050	^	0	47.050	~	•	_	000	
Karluk	1,215	0	0	0 556	1,301 0	856 3,736	2,884 1,908	309 0	5,757 37,516	78,355	4,031 0	0	79,169	51,958 0	0	811 0	17,352 0	0.	0 0	0	286 0	243
Uganik Red River	410 1,399	0	325	975	4,550	3,736 46,800	1,908 3,575	325	37,516 141,374	13,115 72,149	0	1,300	22,653 53,300	0	0	325	0	0	0	0	0	79 324
Upper Station	1,455	0	325 0	9/5	700	850	550	323 0	12,344	21,149	50	1,300	14,293	50	0	323 0	50	0	0	0	0	50,
Frazer	1,077	o	Ô	1,331	700	190	17,495	ő	29,666	140,344	0	0	190	1,141	0	0	0	0	0	0	0	190,
992																						
e∠ Karluk	1,188	0	0	1,378	0	3,498	5,353	0	3,453	47,728	16,750	27	53,780	57,742	0	813	25,988	642	0	0	0	217
Uganik	605	ō	ō	1,369	ō	6,558	0	ō	16,576	21,044	0	1,513	24,864	0	ō	72	72	0	ā	ő	ő	72
Red River	972	ŏ	ō	1,499	1,499	25,987	500	Ö	34,232	96,700	1,749	0	84,456	1,999	ő	0	750	ő	250	Ö	ő	249
Upper Station	1,248	ŏ	191	401	38	38	859	Ö	325	13,347	19	ŏ	3,609	153	ő	76	19	ő	0	Ö	ŏ	19
Frazer	840	0	0	8,399	0	6,548	3,986	Ö	996	60,927	0	Ō	56,798	3,274	ō	427	996	ō	o o	ō	ō	142

Table 2. (page 2 of 2)

Year										<i>F</i>	\ges											
	Sample																					
System	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	4.1	2.4	3.3	4.2	3.4	4.3	4.4	Total
1993																						
Karluk	1,593	0	0	111	0	4,046	2,211	0	4,625	40,173	3,984	198	20,987	155,021	0	228	28,417	1,100	38	30	0	261,167
Uganik	347	0	190	0	0	12,363	0	0	19,971	12,553	0	0	20,542	380	0	0	0	0	0	0	0	66,000
Red River	1,550	0	0	292	1,485	6,101	7,616	0	16,793	32,482	91	0	129,478	12,451	0	491	3,989	0	0	0	0	211,266
Upper Station	1,426	0	521	578	2,026	2,992	6,295	0	555	12,081	210	0	8,215	257	0	0	124	0	0	0	0	33,860
Frazer	1,293	0	0	401	195	68,214	6,164	0	6,528	38,808	17	0	27,323	0	0	0	1,315	0	0	0	0	148,965
1994																						
Karluk	1,561	0	0	981	0	10,447	2,228	0	8,047	60,191	4,422	0	21,354	128,710	285	545	22,627	660	176	95	0	260,771
Uganik	0					•																
Red River	1,439	0	234	22,524	7,383	2,116	13,944	172	13,441	179,521	1,918	0	16,950	4,329	0	31	4,619	0	0	0	0	267,184
Upper Station	1,311	52	530	3,568	104	2,385	3,505	0	2,043	24,795	0	72	2,554	416	0	0	31	0	0	0	0	40,056
Frazer	1,247	0	0	484	0	2,929	9,101	0	36,529	80,649	4.794	0	13,185	5,448	0	0	265	0	0	0	0	153,384

15

Table 3. Percent age composition of sockeye salmon escapements from select systems post 21 July 1985-1994.<sup>a</sup>

									A	ges						· · · · · · · · · · · · · · · · · · ·				
Year	System	Sample Size	0.1	0.2	- 1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	4.3	otal
															-					
1985	Karluk	1,205	0.0	0.0	0.0	0.0	0.6	1.9	0.0	0.1	69.9	0.7	0.0	6.4	19.8	0.0	0.6	0.0	0.0	100.0
	Red River	211	0.0	0.0	0.0	0.0	13.7	0.0	0.0	29.9	53.1	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	100.0
	Upper Station	1,646	0.5	69.2	0.6	1.9	16.9	1.3	0.0	23.3	6.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	100.0
		215	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	95.3	0.0	0.0	4.2	0.0		0.0	0.0		100.0
	Frazer	215	0.0	0.0	0.0	0.0	0.0	0.0	U.U	0.0	95.3	U.U	0.0	4.2	0.0	0.0	0.0	0.0	0.0	100.0
986																				
	Karluk	419	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	48.7	0.5	0.0	18.9	19.6	0.0	12.2	0.0	0.0	100.0
	Red River <sup>b</sup>	841	0.0	0.0	0.0	0.0	0.4	0.1	0.0	2.4	88.8	0.0	0.0	6.9	1.4	0.0	0.0	0.0	0.0	100.0
	Upper Station	1,543	0.2	13.1	0.0	23.3	26.2	0.4	0.1	10.7	24.8	0.0	0.0	1.2	0.1	0.0	0.0	0.0	0.0	100.0
	Frazer	384	0.0	0.0	0.2	0.0	25.8	0.0	0.0	0.2	6.7	0.0	0.0	66.9	0.2	0.0	0.0	0.0	0.0	100.0
987																				
	Karluk	1,630	0.0	0.2	0.0	0.7	0.7	3.1	0.0	0.9	49.3	0.1	0.0	32.0	7.2	0.2	5.6	0.0	0.0	100.0
	Red River	684	0.0	0.0	0.9	0.0	4.4	3.4	0.0	3.7	28.2	0.1	0.0	41.7	16.4	0.0	1.3	0.0	0.0	100.0
	Upper Station	1,605	0.4	7.0	0.1	25.0	4.3	0.3	0.0	17.2	42.9	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	100.0
	Frazer	491	0.0	0.0	3.1	0.2	13.4	25.7	0.0	43.4	6.9	0.0	0.0	6.7	0.0	0.2	0.4	0.0	0.0	100.0
988																				
	Karluk	1,016	0.0	0.0	0.0	0.0	0.1	2.0	0.0	0.1	58.7	0.4	0.0	26.9	7.5	0.0	4.3	0.0	0.0	100.0
	Red River	676	0.0	0.0	2.7	0.0	23.5	12.8	0.0	4.1	47.5	0.0	0.1	7.3	1.6	0.0	0.4	0.0	0.0	100.0
	Upper Station	1,683	0.1	56.2	0.2	8.9	18.7	0.5	0.0	5.3	9.3	0.0	0.0	0.5	0.2	0.1	0.0	0.0	0.0	100.0
	Frazer	225	0.0	0.0	0.0	0.0	1.8	26.7	0.0	1.3	63.5	2.7	0.0	0.0	3.6	0.0	0.4	0.0	00	100.0
1989																				
1000	Karluk	1,345	0.0	0.1	0.0	0.1	4.0	0.0	0.0	4.0	55.7	0.0	0.0	28.0	5.5	0.0	2.6	0.0	0.0	100.0
	Red River	869	0.0	0.0	0.3	0.3	34.7	3.0	0.0	3.9	48.1	0.0	0.0	9.7	0.0	0.0	0.0	0.0	0.0	100.0
	Upper Station	1,521	0.0	11.4	0.3	42.3	4.8	1.8	0.0	2.9	32.3	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	100.0
	Frazer	442	0.0	0.0	6.9	0.0	1.8	0.5	0.0	1.1	39.3	0.0	0.0	50.4	0.0	0.0	0.0	0.0	0.0	100.0
1990																				
1330	Karluk	1,535	0.0	0.3	0.0	0.6	0.3	0.0	0.0	1.4	49.9	0.0	0.0	33.3	9.8	0.3	4.0	0.0	0.0	100.0
	Uganik	398	0.0	0.0	0.0	1.0	13.2	0.2	0.0	31.8	26.3	0.0	0.0	26.6	1.0	0.0	0.0	0.0	0.0	100.0
	Red River	820	0.0	0.0	0.1	0.9	12.1	0.4	0.0	23.4	58.0	0.0	0.5	4.5	0.1	0.0	0.0	0.0	0.0	100.0
	Upper Station	1,491	0.0	9.6	0.1	13.3	41.1	0.8	0.0	5.7	25.3	0.0	0.0	3.3	0.7	0.0	0.2	0.0	0.0	100.0
	Frazer	861	0.0	0.0	0.3	0.0	78.2	3.6	0.0	4.5	5.3	0.0	0.0	5.0	3.1	0.0	0.0	0.0	0.0	100.0
1991																				
. 55 1	Karluk	1,733	0.0	0.2	0.0	0.9	1.4	0.2	0.0	0.8	40.3	0.1	0.0	34.0	16.5	0.0	5.6	0.0	0.0	100.0
	Uganik	195	0.0	0.0	0.0	0.2	1.4	0.0	0.0	<b>3</b> 7.7	4.9	0.0	0.0	55.6	0.0	0.2	0.0	0.0	0.0	100.0
	Red River	622	0.0	0.0	0.2	0.1	7.7	0.6	0.0	20.4	45.9	0.0	0.1	23.0	1.7	0.0	0.2	0.0	0.0	100.0
	Upper Station	1,258	0.2	1.2	0.1	15.0	1.7	0.1	0.1	15.3	59.4	0.0	0.1	6.0	0.8	0.0	0.0	0.0	0.0	100.0
	Frazer	0	J. <u>L</u>		0.1	10.0	1.7	0.1	0.1	10.0	55. 1	0.0	0,1	0.0	0.5	0.0	0.0	0.0	0.0	100.0

- Continued -

Table 3. (page 2 of 2)

								A	ges										
Year	Sample																		
System	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	4.3	Total
1992																			
Karluk	1,558	0.0	0.3	0.1	0.2	0.4	0.2	0.0	0.1	21.4	0.2	0.0	10.9	61.4	0.0	4.8	0.0	0.0	100.0
Uganik	20	0.0	0.0	0.0	0.0	0.0	5.0	0.0	15.0	25.1	0.0	0.0	54.9	0.0	0.0	0.0	0.0	0.0	100.0
Red River	499	0.0	0.0	0.0	0.2	12.0	0.7	0.0	13.4	45.4	0.0	0.0	26.2	0.9	0.9	0.4	0.0	0.0	100.0
Upper Station	894	0.7	40.0	0.6	6.6	18.1	0.5	0.0	4.0	24.9	0.0	0.0	4.2	0.4	0.0	0.0	0.0	0.0	100.0
Frazer	572	0.0	0.0	17.4	0.0	5.3	9.0	0.0	1.3	36.2	0.0	0.0	28.7	1.3	0.5	0.2	0.0	0.0	100.0
1993																			
Karluk	1,659	0.0	0.6	0.2	0.6	0.9	3.1	0.0	0.5	29.4	1.8	0.0	3.6	49.6	0.1	9.6	0.1	0.0	100.0
Uganik	0																		
Red River	861	0.0	0.0	0.1	0.0	5.0	6.3	0.0	6.9	52.8	0.3	0.0	22.9	4.5	0.0	1.0	0.0	0.0	100.0
Upper Station	1,013	3.6	17.9	2.1	7.2	18.1	6.4	0.0	13.4	20.9	0.1	0.1	4.8	5.2	0.0	0.4	0.0	0.0	100.0
Frazer	615	0.0	0.0	1.9	0.0	49.9	16.8	0.0	1.7	25.7	0.1	0.0	3.8	0.1	0.0	0.0	0.0	0.0	100.0
1994																			
Karluk	1,412	0.0	1.1	0.0	0.9	2.5	0.4	0.0	0.5	44.5	0.8	0.0	10.3	30.1	0.0	8.5	0.3	0.3	100.0
Uganik	· o																		
Red River	1,101	0.0	0.0	0.4	0.2	0.8	0.5	0.0	1.1	86.6	0.0	0.1	6.0	4.2	0.0	0.2	0.0	0.0	100.0
Upper Station	1,403	2.2	17.4	1.8	22.7	5.8	3.1	0.0	13.4	32.4	0.1	0.0	0.7	0.3	0.0	0.0	0.0	0.0	100.0
Frazer	427	0.0	0.0	0.1	0.0	3.9	3.6	0.0	20.0	57.5	0.1	0.0	13.0	1.6	0.1	0.0	0.0	0.0	100.0

<sup>&</sup>lt;sup>a</sup>Percent age composition was derived using escapement numbers after rounding. These numbers were calculated by age and day using linear interpolation between weekly sampling events. When escapement occurs prior to the first sample calculations are based on the adjacent sample.

<sup>&</sup>lt;sup>b</sup> Sampled from the commercial catch of the terminal statistical area.

Table 4. Estimated age composition of sockeye salmon escapements from select systems, in number of fish, post 21 July 1985-1994.

		–								\ges										
'ear	System	Sample Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	4.3	Tota
985																				
	Karluk	1,205	0	0	0	0	4,114	13,129	0	342	475,175	4,476	0	43,173	134,534	0	4,317	0	0	676,260
	Red River	211	0	0	0	0	11,344	0	0	24,758	43,968	0	0	2,732	0	0	. 0	0	0	82,803
	Upper Station	1,646	2,042	282,619	2,450	7,760	69,021	5,309	0	9,393	24,505	0	408	4,901	0	0	0	0	0	408,409
	Frazer	215	0	0	346	0	0	0	0	0	65,937	0	0	2,906	0	0	0	0	0	69,189
986																				
	Karluk	419	0	0	0	0	.0	1,261	0	0	257,271	2,521	0	99,630	103,414	0	64,318	0	0	528,419
	Red River *	841	0	0	0	0	171	43	0	1,025	37,924	0	0	2,947	598	0	0	0	0	42,70
	Upper Station	1,543	732	47,927	0	85,244	95,854	1,463	366	39,147	90,732	0	0	4,390	366	0	0	0	0	366,222
	Frazer	384	0	0	14	0	1,772	0	0	14	462	0	0	4,600	. 14	0	0	0	0	6,876
987	Karluk	1,630	169	623	0	2,867	2,881	12,664	0	3.650	202 202	585	0	101.004	20.750	841	23.010	0	n	440.45
	Red River	684	0	023	700	2,007	3,420	2,643	0	2,876	203,293 21,920	78	0	131,824 32,413	29,750 12,748	841 0	1.010	0	0	412,15
	Upper Station	1,605	626	10,950	156	39,108	6,727	469	0	26,906	67,109	0	0	4,224	12,740	0	0,010	0	0	77,803 156,274
	Frazer	491	020	0.830	457	39,100	1,977	3,791	0	6,402	1,018	0	0	988	0	30	59	0	0	14,75
	114201	451	·	·	407	30	1,977	0,791	U	0,402	1,010	U	Ü	900	U	30	39	U	U	14,732
1988	Kariuk	1,016	0	0	0	0	306	5,641	0	332	165,580	1,072	0	76,018	21,125	0	12,232	0	0	282,306
	Red River	676	ō	ō	2,121	Ō	18,462	10,056	ō	3,221	37,316	0	79	5,735	1,257	Ö	314	ō	ő	78.560
	Upper Station	1,683	248	139,069	496	22,063	46,356	1,239	Ō	13,138	23,054	0	0	1,239	496	248	0	ō	ō	247,647
	Frazer	225	0	· o	0	0	291	4,322	0	210	10,295	437	0	0	583	0	65	0	0	16,203
989																				
	Karluk	1,345	106	893	0	1,084	29,999	212	0	30,333	422,089	0	31	212,569	41,994	0	19,583	0	0	758,893
	Red River	869	0	0	587	587	67,847	5,866	0	7,625	94,048	0	0	18,966	0	0	0	0	0	195,525
	Upper Station	1,521	0	- 25,274	665	93,782	10,642	3,991	0	6,429	71,611	0	0	9,312	0	0	0	0	0	221,708
	Frazer	442	0	0	2,811	0	733	204	0	448	16,010	0	0	20,573	0	0	0	0	0	40,779
990	14. 1.1.	4.505		4 477	•	0.400	4 700	007		7 440	070.070	470	•	100 500	50.000	4 440	04.000			544.00A
	Karluk	1,535	0	1,477	0	3,489	1,798	267 21	0	7,419	270,379	176	0	180,536	53,293	1,448	21,609	0	0	541,891
	Uganik	398	_	0		106	1,394	669	0	3,358	2,777	0	0	2,809	106	0	0	0	0	10,570
	Red River	820	0	0	167 198	1,506 26,346	20,247	1,585	0	39,154	97,217	0	837 0	7,530	167	0	0	0	0	167,494
	Upper Station Frazer	1,491 861	0	19,017 0	140	26,346	81,415 36,434	1,565	0	11,291 2,097	50,116 2,469	0	0	6,537 2,330	1,387 1,444	0	396 0	0	0	198,287 46,591
991																				
	Karluk	1,733	0	1,773	111	7,736	11,286	1,661	0	6,312	335,452	1,162	0	283,128	136,866	234	46,249	0	0	890,97
	Uganik	195	0	0	0	20	138	0	0	3,706	482	0	0	5,456	0	20	0	0	0	9,82
	Red River	622	0	0	100	50	3,843	299	0	10,182	22,910	0	50	11,480	849	0	100	0	0	49,863
	Upper Station Frazer	1,258 0	485	2,911	243	36,393	4,124	243	243	37,120	144,357	0	243	14,557	1,941	0	0	0	0	242,860
992																				
992	Karluk	1,558	0	2,067	631	1,411	2,688	1,192	0	316	131,705	1,058	0	66,761	376,592	262	29,578	. 0	0	614,262
	Uganik	20	0	· o	0	. 0	. 0	191	0	573	959	0	0	2,102	. 0	0	0	0	0	3,82
	Red River	499	0	0	. 0	189	11,336	661	0	12,659	42,889	0	0	24,751	850	850	378	0	0	94,563
	Upper Station	894	1,390	79,427	1,191	13,105	35,941	993	0	7,943	49,443	0	0	8,340	794	0	- 0	0	0	198,567
	Frazer	572	0	0	7,572	0	2,306	3,916	0	566	15,753	0	0	12,489	566	218	87	0	0	43,473
993																				
	Karluk Uganik	1,659 0	0	2,213	942	2,291	3,642	12,236	0	1,927	116,606	7,036	0	14,415	196,418	347	38,015	200	0	396,288
	Red River	861	0	0	112	0	3,764	4,689	0	5,184	39,563	262	0	17,147	3,391	30	763	0	0	74.904
	Upper Station	1,013	6,753	33,657	3,862	13,437	33,913	11,982	ŏ	25,059	39,223	177	177	8,920	9,708	0	664	0	ő	187,529
	Frazer	615	0,0	0	916	0	24,661	8,283	ō	854	12,725	51		1,895	61	ñ	0	ñ	0	49,447

- Continued -

Table 4. (page 2 of 2)

									-	\ges						u.ex=_\uxunum				
Year	System	Sample Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	4.3	Total
1994																				
	Karluk Uganik	1,412 0	0	6,182	266	5,330	14,396	2,533	0	2,797	261,270	4,872	0	60,208	176,597	72	49,780	1,476	1,476	587,258
	Red River	1,101	0	36	421	171	867	567	0	1,239	97,875	0	85	6,797	4,734	0	200	0	0	112,997
	Upper Station	1,403	4,869	38,198	4,047	49,706	12,629	6,750	0	29,348	71,018	308	91	1,534	764	0	0	0	0	219,264
	Frazer	427	0	0	47	0	2,057	1,896	0	10,552	30,312	47	0	6,875	856	47	0	0	0	52,687

<sup>&</sup>lt;sup>a</sup> Sampled from the commercial catch of the terminal statistical area.

Table 5. Estimated age composition (in percent) of selected westside Kodiak sockeye catches, by area, through 15 July 1985-1994.

										Ages												
Year Area	Sample Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	4.1	2.4	3.3	4.2	3.4	4.3	4.4	Total
1985																						
Uyak Uganik	1,259 338	0.0 0.0	0.0 0.2	0.0 0.4	0.4 0.5	7.4 6.9	0.0 0.2	0.0 0.0	31.7 33.2	39.9 33.9	0.0 0.0	0.2 0.5	17.0 19.4	2.1 4.5	0.0 0.0	0.0 0.0	1.4 0.4	0.0 0.0	0.0 0.0	0.0	0.0 0.0	100.0 100.0
Karluk <sup>a</sup>	212	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.8	73.6	0.0	0.0	14.0	7.9	0.0	0.0	0.6	0.0	0.0	0.0	0.0	100.0
Sturgeon a	195	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.7	70.6	0.0	0.0	14.0	11.3	0.0	0.0	1.5	0.0	0.0	0.0	0.0	100.0
1986																						
Uyak Uganik Karluk	2,157 1,918 403	0.0 0.0 0.0	0.0 0.1 0.2	0.0 0.0 0.2	1.5 1.0 0.7	8.8 3.7 6.5	0.2 0.1 0.7	0.0 0.0 0.0	20.0 40.6 6.5	36.4 31.5 62.8	0.1 0.0 0.0	0.0 0.1 0.0	27.2 20.4 17.6	4.2 1.7 4.0	0.0 0.0 0.0	0.0 0.0 0.0	1.6 0.8 0.7	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	100.0 100.0 100.0
Sturgeon <sup>a</sup>	964	0.0	0.0	0.0	0.2	1.0	0.0	0.0	8.0	59.7	0.0	0.0	22.2	13.1	0.0	0.1	2.9	0.0	0.0	0.0	0.0	100.0
1987																						
Uyak Uganik	1,284 1,311	0.0 0.0	0.1 0.1	1.2 0.1	1.5 1.5	8.5 7.6	4.5 0.1	0.0 0.0	27.1 44.7	33.3 28.0	0.6 0.0	0.2 0.8	18.4 14.2	2.8 1.6	0.0 0.0	0.0 0.0	1.7 1.4	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
Karluk <sup>a</sup>	1,456	0.0	0.0	0.0	0.1	1.9	0.0	0.0	5.0	47.0	0.0	0.0	27.8	9.0	0.0	0.0	9.1	0.0	0.0	0.0	0.0	100.0
Sturgeon <sup>a</sup>	210	0.0	0.0	0.0	0.1	2.4	0.0	0.0	3.7	40.5	0.0	0.0	45.9	4.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	100.0
1988																						
Uyak Uganik	1,826 2,416	0.0 0.0	2.5 1.6	0.1 0.0	3.0 2.5	6.6 9.1	1.3 0.4	0.0 0.1	30.7 38.6	36.0 21.3	0.0 0.0	0.3 0.5	16.3 23.0	2.5 1.8	0.0 0.0	0.0 0.0	0.6 1.2	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
Karluk <sup>a</sup>	193	0.0	0.0	0.0	0.0	0.5	0.0	0.0	2.2	47.3	0.0	0.0	34.3	7.5	0.0	0.0	8.2	0.0	0.0	0.0	0.0	100.0
Sturgeon <sup>a</sup>	193	0.0	0.0	0.0	0.0	0.5	0.0	0.0	2.2	47.3	0.0	0.0	34.3	7.5	0.0	0.0	8.2	0.0	0.0	0.0	0.0	100.0
1989 <sup>b</sup>																						
Uyak Uganik Karluk Sturgeon	0 0 0 0																					
1990																						
Uyak Uganik	1,486 1,591	0.0 0.0	0.1 0.5	0.0 0.1	1.3 3.9	27.5 23.2	0.1 0.0	0.1 0.0	34.9 41.9	11.3 14.1	0.0 0.0	0.4 0.5	19.7 13.4	2.0 1.1	0.0 0.0	0.0 0.0	2.5 1.1	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
Karluk <sup>c</sup>	0																					
Sturgeon <sup>a</sup>	241	0.0	0.0	0.0	0.4	0.9	0.0	0.0	1.3	29.9	0.0	0.0	57.2	6.6	0.0	0.4	3.2	0.0	0.0	0.0	0.0	100.0
1991																						
Uyak Uganik	999 1,091	0.0 0.0	0.1 0.0	0.0 0.0	0.9 0.7	2.6 2.4	0.0 0.0	0.1 0.0	35.1 38.8	18.6 25.1	0.0 0.0	0.7 0.4	37.8 28.4	2.6 3.0	0.0 0.0	0.4 0.1	1.0 1.1	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
Karluk <sup>c</sup>	C																					
Sturgeon <sup>c</sup>	0																					

Table 5. (page 2 of 2)

										Ages				*****								
Year	Sample																					
Area	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	4.1	2.4	3.3	4.2	3.4	4.3	4.4	Total
1992																						
Uyak	1,729	0.0	0.2	0.0	0.6	5.6	0.0	0.0	14.9	33.4	0.1	0.0	30.2	11.6	0.0	0.0	3.3	0.0	0.0	0.0	0.0	100.0
Uganik	1,572	0.0	0.3	0.1	0.4	4.5	0.3	0.0	14.0	28.8	0.4	0.0	29.8	18.6	0.0	0.1	2.7	0.1	0.0	0.0	0.0	100.0
Karluk	375	0.0	0.5	6.1	0.3	6.4	5.9	0.0	4.0	45.6	4.5	0.5	19.7	5.9	0.0	0.0	0.3	0.0	0.0	0.0	0.0	100.0
Sturgeon <sup>a</sup>	207	0.0	0.0	0.0	0.0	1.6	0.0	0.0	3.9	23.4	0.0	0.3	30.0	30.6	0.0	0.4	9.8	0.0	0.0	0.0	0.0	100.0
1993																						
Uyak	2,397	0.0	0.0	0.0	0.9	18.7	0.0	0.0	14.5	20.8	0.1	0.5	25.5	15.8	0.0	0.2	2.9	0.0	0.0	0.0	0.0	100.0
Uganik	489	0.0	0.1	0.0	1.2	16.2	0.1	0.0	15.3	21.8	0.1	0.4	23.9	17.8	0.0	0.1	3.2	0.1	0.0	0.0	0.0	100.0
Karluk	1,381	0.0	0.4	0.0	1.6	18.9	1.8	0.0	13.0	26.9	2.5	0.3	22.9	9.5	0.0	0.1	2.2	0.0	0.0	0.0	0.0	100.0
Sturgeon <sup>c</sup>	0																					
1994																						
Uyak	2,917	0.0	0.2	0.0	1.9	2.9	0.1	0.1	42.3	17.4	0.0	0.1	19.9	6.3	0.0	0.0	8.8	0.0	0.0	0.0	0.0	100.0
Uganik	540	0.0	0.9	0.3	0.6	5.7	0.9	0.0	28.0	36.0	0.0	0.0	10.1	11.6	0.0	0.0	6.0	0.0	0.0	0.0	0.0	100.0
Karluk	2,010	0.0	0.5	0.5	0.8	5.7	0.7	0.1	18.1	31.3	0.6	0.4	10.3	24.7	0.0	0.1	6.1	0.0	0.0	0.0	0.0	100.0
Sturgeon <sup>c</sup>	0																					

<sup>&</sup>lt;sup>a</sup> Appropriate Karluk escapement sample (adjusted to 100% after removing age .1 fish) was used to calculate the age composition of the catch .
<sup>b</sup> Commercial fishery closed due to Exxon Valdez oil spill.

<sup>&</sup>lt;sup>c</sup> No commercial catch through July 15.

Table 6. Estimated age composition (number of fish) of selected westside Kodiak sockeye catches, by area, through 15 July 1985-1994.

									Ages									
Year Area	Sample Size	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	3.4	Total
1985																		
Uyak	1,259	0	0	153	3,084	0	0	13,185	16,582	0	83	7,059	857	0	582	0	0	41,583
Uganik	338	102	224	328	4,230	102	0	20,363	20,773	0	328	11,872	2,775	0	224	0	0	61,321
Karluk <sup>a</sup>	212	0	0	0	55	0	0	49	1,980	0	0	377	212	0	17	0	0	2,690
Sturgeon <sup>a</sup>	195	0	0	0	6	0	0	10	424	0	0	84	68	0	9	0	0	601
1986																		
Uyak	2,157	6	0	2,657	15,402	339	0	35,102	63,735	208	60	47,701	7,298	0	2,774	0	0	175,282
Uganik	1,918	97	0	1,290	4,675	105	0	51,138	39,701	0	97	25,769	2,161	0	992	0	0	126,023
Karluk	403	199	199	596	5,165	596	0	5,165	50,257	0	0	14,104	3,178	0	596	0	0	80,054
Sturgeon <sup>a</sup>	964	0	0	26	128	0	0	102	7,478	0	0	2,782	1,646	13	357	0	0	12,532
1987																		
Uyak	1,284	92	765	943	5,431	2,869	0	17,248	21,185	400	106	11,725	1,784	0	1,096	0	0	63,646
Uganik	1,311	37	30	771	3,905	30	0	23,002	14,373	0	411	7,298	834	0	721	0	0	51,410
Karluk <sup>a</sup>	1,456	0	0	66	958	0	0	2,480	23,213	0	0	13,710	4,442	0	4,490	0	0	49,358
Sturgeon <sup>a</sup>	210	0	0	4	69	0	0	107	1,171	0	0	1,326	116	0	95	0	0	2,888
1988																		
Uyak	1,826	2,203	127	2,631	5,806	1,161	0	27,018	31,731	39	291	14,338	2,194	39	507	0	0	88,088
Uganik	2,416	1,531	11	2,402	8,603	333	86	36,651	20,198	39	480	21,815	1,670	39	1,101	0	0	94,956
Karluk <sup>a</sup>	193	0	0	0	18	0	0	75	1,586	0	0	1,148	252	0	274	0	0	3,353
Sturgeon <sup>a</sup>	193	0	0	0	12	0	0	51	1,076	0	0	779	171	0	186	0	0	2,275
1989																		
Uyak	0																	0
Uganik	0																	0
Karluk	0																	0
Sturgeon	0																	0
1990																		
Uyak 	1,486	44	0	807	16,559	71	84	20,995	6,769	0	223	11,851	1,195	0	1,525	0	0	60,125
Uganik	1,591	585	106	4,531	26,821	57	57	48,518	16,316	57	634	15,477	1,287	0	1,235	0	0	115,683
Karluk <sup>c</sup>	0																	0
Sturgeon a	241	0	0	25	56	0	0	80	1,844	0	0	3,527	408	25	198	0	0	6,163

- Continued -

Table 6. (page 2 of 2)

									Ages									
Year Area	Sample Size	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	3.4	Tota
1991																		
Uyak Uganik	999 1,091	109 0	0	753 888	2,186 3,108	0 0	60 0	29,329 49,288	15,508 31,908	0 0	583 471	31,598 35,998	2,198 3,778	327 96	863 1,419	0 0	0 0	83,516 126,951
Karluk <sup>c</sup>	0																	0
Sturgeon <sup>c</sup>	0																	0
1992																		
Uyak	1,729	512	0	1,246	12,164	0	57	32,253	72,486	171	106	65,478	25,129	49	7,077	0	0	216,726
Uganik	1,572	625	311	834	10,449	625	0	32,273	66,217	992	49	68,499	42,705	162	6,158	218	0	230,117
Karluk	375	231	2,656	115	2,772	2,541	0	1,732	19,748	1,963	231	8,546	2,541	115	115	0	0	43,308
Sturgeon <sup>a</sup>	207	0	0	0	166	0	0	391	2,379	0	30	3,041	3,101	45	994	0	0	10,147
1993																		
Uyak	2,397	158	0	3,512	70,063	158	0	54,546	78,183	317	2,016	95,449	59,132	639	10,703	158	0	375,034
Uganik	489	0	0	16,129	28,460	0	0	160,328	42,692	0	8,538	192,585	8,538	1,898	4,743	0	. 0	463,912
Karluk	1,381	1,007	0	4,126	49,980	4,832	0	34,196	70,897	6,477	714	60,368	25,135	264	5,843	0	0	263,834
Sturgeon <sup>c</sup>	0																	0
1994											•							
Uyak	2,917	362	0	3,663	5,609	155	96	80,979	33,410	0	96	38,115	12,025	84	16,924	84	59	191,661
Uganik	540	1,539	518	1,023	9,989	1,552	0	49,175	63,256	0	0	17,711	20,325	0	10,492	0	0	175,576
Karluk	2,010	872	791	1,318	9,621	1,216	100	30,542	52,762	1,095	706	17,440	41,669	184	10,201	0	0	168,521
Sturgeon <sup>c</sup>	0																	0

<sup>&</sup>lt;sup>a</sup> Appropriate Karluk escapement sample (adjusted to 100% after removing age .1 fish) was used to calculate the age composition of the catch .

<sup>b</sup> Commercial fishery closed due to Exxon Valdez oil spill.

<sup>&</sup>lt;sup>c</sup> No commercial catch through July 15.

Table 7. Estimated age composition (in percent) of selected westside Kodiak sockeye catches, by area, post 15 July 1985-1994.

											Ages											
Year ———	Area	Sample Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	3.4	4.3	4.4	Total
1985																						
	Uyak	2,477	0.0	0.4	0.0	0.1	4.7	0.0	0.0	6.9	59.6	0.0	0.0	11.7	15.4	0.0	1.1	0.0	0.0	0.0	0.0	100.0
	Uganik	1,896	0.0	0.0	0.0	0.4	2.8	0.0	0.0	11.9	55.8	0.0	0.2	14.3	13.1	0.0	1.4	0.0	0.0	0.0	0.0	100.0
	Kariuk <sup>a</sup>	1,205	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	71.8	0.0	0.0	6.6	20.3	0.0	0.6	0.0	0.0	0.0	0.0	100.0
	Sturgeon <sup>b</sup>	0																				
986																						
	Uyak	2,290	0.0	0.0	0.0	0.1	2.4	0.1	0.0	4.6	69.0	0.0	0.1	11.4	11.7	0.0	0.7	0.0	0.0	0.0	0.0	100.0
	Uganik	1,998	0.0	0.2	0.0	1.0	5.8	0.1	0.0	25.7	46.1	0.0	0.2	15.5	4.9	0.0	0.5	0.0	0.0	0.0	0.0	100.0
	Karluk <sup>a</sup>	419	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.0	0.0	0.0	19.0	19.7	0.0	12.3	0.0	0.0	0.0	0.0	100.0
	Sturgeon <sup>a</sup>	419	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.0	0.0	0.0	19.0	19.7	0.0	12.3	0.0	0.0	0.0	0.0	100.0
1987																						
	Uyak	1,879	0.0	1.1	0.0	1.5	2.8	0.2	0.0	31.9	41.4	0.0	0.4	10.2	9.5	0.1	0.9	0.0	0.0	0.0	0.0	100.0
	Uganik	2,557	0.0	0.3	0.0	2.1	3.8	0.1	0.1	43.3	30.6	0.0	0.2	14.2	4.7	0.0	0.5	0.0	0.0	0.0	0.0	100.0
	Karluk <sup>a</sup>	1,630	0.0	0.2	0.0	0.7	0.7	0.0	0.0	0.9	50.9	0.0	0.0	33.1	7.4	0.2	5.8	0.0	0.0	0.0	0.0	100.0
	Sturgeon <sup>a</sup>	211	0.0	0.1	0.0	0.5	1.8	0.0	0.0	1.7	65.9	0.0	0.0	19.8	6.0	0.0	4.3	0.0	0.0	0.0	0.0	100.0
1988																						
	Uyak	2,418	0.0	6.4	0.0	7.0	4.8	0.4	0.0	10.7	54.6	0.1	0.3	7.7	8.0	0.0	0.1	0.0	0.0	0.0	0.0	100.0
	Uganik	2,685	0.0	2.8	0.0	2.5	6.8	0.4	0.0	24.1	40.5	0.1	0.8	14.9	6.5	0.1	0.7	0.0	0.0	0.0	0.0	100.0
	Karluk <sup>a</sup>	1,016	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	60.1	0.0	0.0	27.6	7.7	0.0	4.4	0.0	0.0	0.0	0.0	100.0
	Sturgeon b	0																				
1989																						
	Uyak <sup>c</sup>	0																				
	Uganik <sup>c</sup>	0																				
	Karluk	0 .	0.0	0.0	0.0	0.0	4.8	0.0	0.0	5.3	58.4	0.0	0.0	25.4	4.7	0.0	1.4	0.0	0.0	0.0	0.0	100.0
	Sturgeon <sup>c</sup>	0																				
1990																						
	Uyak	1,999	0.0	0.3	0.0	1.1	4.9	0.0	0.0	4.7	58.5	0.0	0.1	8.6	19.4	0.0	2.3	0.0	0.0	0.0	0.0	100.0
	Uganik	2,094	0.0	0.7	0.0	1.6	3.5	0.1	0.0	7.4	50.1	0.0	0.2	11.8	22.2	0.0	2.2	0.0	0.0	0.0	0.0	100.0
	Karluk	1,057	0.0	0.5	0.0	1.3	2.8	0.1	0.1	0.6	62.4	0.2	0.0	8.9	21.2	0.0	1.9	0.0	0.0	0.0	0.0	100.0
	Sturgeon <sup>a</sup>	1,535	0.0	0.3	0.0	0.6	0.3	0.0	0.0	1.4	49.9	0.0	0.0	33.3	9.8	0.3	4.0	0.0	0.0	0.0	0.0	100.0

Table 7. (page 2 of 2)

					***************************************						Ages											
Year	Area	Sample Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	3.4	4.3	4.4	Total
1991																						
	Uyak Uganik	3,057 2,038	0.0 0.0	0.0 0.0	0.0 0.0	0.6 1.1	1.0 1.2	0.0 0.0	0.0 0.0	4.3 7.5	49.5 44.7	0.0 0.0	0.1 0.1	10.0 21.0	33.2 23.2	0.0 0.0	1.3 1.2	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
	Karluk <sup>a</sup>	1,733	0.0	0.2	0.0	0.9	1.4	0.0	0.0	8.0	40.4	0.0	0.0	34.1	16.5	0.0	5.6	0.0	0.0	0.0	0.0	100.0
	Sturgeon a	195	0.0	0.2	0.0	0.9	8.0	0.0	0.0	0.3	38.4	0.0	0.0	34.7	15.3	0.0	9.3	0.0	0.0	0.0	0.0	100.0
1992																						
	Uyak Uganik	1,417 1,328	0.0 0.0	1.5 0.2	0.2 0.1	0.9 0.7	3.4 0.8	0.0 0.1	0.0 0.0	23.6 12.2	26.9 6.6	0.0 0.5	0.7 0.3	12.5 12.5	26.1 64.7	0.2 0.4	3.9 0.9	0.0 0.0	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
	Karluk <sup>a</sup>	1,558	0.0	0.3	0.0	0.2	0.4	0.0	0.0	0.1	21.5	0.0	0.0	10.9	61.6	0.0	4.8	0.0	0.0	0.0	0.0	100.0
	Sturgeon <sup>a</sup>	194	0.0	0.4	0.0	0.0	2.8	0.0	0.0	0.6	28.5	0.0	0.0	16.5	38.7	1.1	11.4	0.0	0.0	0.0	0.0	100.0
1993																						
	Uyak Uganik	2,416 1,701	0.0 0.0	1.1 1.0	0.7 0.3	3.6 2.1	5.4 4.6	0.1 0.1	0.0 0.0	15.6 10.1	22.5 24.5	0.0 0.0	0.8 0.6	18.5 17.0	24.4 35.1	0.2 0.0	6.8 4.3	0.3 0.2	0.0 0.0	0.0 0.0	0.0 0.0	100.0 100.0
	Karluk <sup>b</sup>	0																				
	Sturgeon <sup>b</sup>	0								•												
1994																						
	Uyak Uganik Karluk	3,069 2,582 349	0.0 0.0 0.3	0.2 1.1 3.2	0.0 0.4 0.3	1.4 2.3 4.3	50.0 45.2 12.3	0.2 1.4 2.9	0.0 0.0 0.0	7.1 8.3 6.3	26.1 26.8 50.7	0.1 0.5 0.9	0.1 0.1 0.3	4.2 6.5 6.6	9.2 6.5 11.5	0.0 0.0 0.0	1.3 0.8 0.6	0.0 0.2 0.0	0.1 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	100.0 100.0 100.0
	Sturgeon <sup>d</sup>	349	0.3	3.2	0.3	4.3	12.3	2.9	0.0	6.3	50.7	0.9	0.3	6.6	11.5	0.0	0.6	0.0	0.0	0.0	0.0	100.0

<sup>&</sup>lt;sup>a</sup> Appropriate Karluk escapement sample (adjusted to 100% after removing age .1 fish) was used to calculate the age composition of the catch .

<sup>No commercial catch post July 15.
Commercial fishery closed due to Exxon Valdez oil spill.</sup> 

<sup>&</sup>lt;sup>d</sup> Inner and Outer Karluk Sections catch sample used to represent Sturgeon Section catch.

Table 8. Estimated age composition (number of fish) of selected westside Kodiak sockeye catches, by area, post 15 July 1985-1994.

·/	Camada									Ages											
/ear Area	Sample Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	3.4	4.3	4.4	To
985																					
Uyak	2,477	0	420	0	153	5,557	0	0	8,187	70,333	0	26	13,815	18,111	26	1,322	0				117,9
Uganik	1,896	0	0	16	229	1,781	0	0	7,529	35,194	0	95	9,047	8,291	0	909	0			_	63,09
Karluk *	1,205	0	0	0	0	194	0	0	32	22,639	0	0	2,070	6,404	0	194	0			0	31,53
Sturgeon <sup>b</sup>	0																				
986				_																	
Uyak Uganik	2,290 1,998	0 0	59 395	0 71	176 1,675	7,638 9,561	173 146	0	14,686 42,751	220,192 76,663	0 0	231 360	36,393 25,713	37,423 8,162	59 0	2,226 782	0	0		0	319,2 166,2
Karluk *	419	0	0	0	1,073	9,301	0	0	42,731	70,003	0	0	27,331	28,343	0	17,642	0	0		0	
Sturgeon *	419	0	0	0	0	0	0	0	0	70,424 545	0	0	21,331	20,343	0	17,042	0	0		0	143,7- 1,1
•	-110	•	·	ŭ	ŭ	·	Ū	·	·	040	O	Ū	2.2	210	J	131	J	Ü		Ü	
987 Uyak	1,879	0	1,001	0	1,381	2,641	166	٥	30,327	39,320	21	383	9,684	9,034	123	890	0	0		0	94,96
Uganik	2,557	ő	695	ő	4,774	8,447	207	272	96,206	68.054	0	392	31,443	10,404	0	1,220	ő	0		0	222,1
Karluk *	1,630	0	4	0	13	13	0	0	17	916	0	0	594	134	4	104	0	0		0	1,79
Sturgeon *	211	0	6	0	29	99	0	0	93	3,693	0	0	1,107	336	0	243	0	0		0	5,60
1988																					
Uyak	2,418	0	5,778	27	6,336	4,359	325	0	9,690	49,505	66	291	7,002	7,280	0	53	0	0		0	90,70
Uganik	2,685	0	2,698	4	2,410	6,655	345	4	23,556	39,618	130	778	14,603	6,338	137	639	0	0		0	97,9
Karluk *	1,016	0	0	0	0	10	0	0	10	5,840	0	0	2,676	746	0	428	0	0		0	9,7
Sturgeon b	0																				
1989																					
Uyak <sup>c</sup>	0																				
Uganik <sup>c</sup>	0																				
Karluk	196	0	0	0	0	167	0	0	184	2,034	0	0	883	163	0	49	0	0		0	3,4
Sturgeon <sup>c</sup>	0																				
1990																					
Uyak	1,999	0	1,601	201	4,992	23,369	0	0	22,255	276,510	0	290	40,771	91,962	133	10,975	0	0		0	473,0
Uganik Karluk	2,094 1,057	0	2,607 795	0 0	6,431 2,225	13,858 4,767	552 159	189 159	29,059 953	196,473 104,876	0 318	647 0	46,103 14,937	87,124 35,594	154 0	8,713 3,178	0	0		0	391,9 167,9
Sturgeon *	1,535	0	200	0	401	200	0	0	935	33,336	0	0	22,246	6,547	200	2,672	0	0		0	66,73
_		_		-			_	_		,	-	-	,	9,2		-,	-	-		Ū	00,71
1991 Uyak	3,057	0	76	0	3,677	6,188	76	105	27,553	317,445	0	409	63,807	212,637	116	8.506	530	0		0	641,12
Uganik	2,038	o	150	ő	3,380	3,509	Ö	0	22,727	135,106	ő	186	63,405	70,070	121	3,665	121	ä		ä	302,43
Karluk *	1,733	0	308	0	1,386	2,155	0	0	1,232	62,043	0	0	52,344	25,402	0	8,621	0	0 -		0	153,49
Sturgeon *	195	0	2	0	7	6	0	0	2	296	0	0	267	118	0	72	0	0		0	77
1992																					
Uyak	1,417	0	4,012	429	2,355	9,026	20	100	62,252	70,970	0	1,751	33,095	68,827	628	10,317	0	0		0	263,78
Uganik	1,328	0	524	168	1,832	2,093	320	0	32,974	17,773	1,329	785	33,581	174,267	1,047	2,511	0	0		0	269,20
Karluk <sup>a</sup> Sturgeon	1,558 194	0	64 4	0	43 0	83 32	0	0	10 7	4,050 319	0	0	2,053 185	11,579 434	8 12	909 128	0	0		0	18,79
-	134	U	~	J	U	52	U		,	319	U	U	103	404	12	120	Ū	U		J	1,12
1993 Uyak	2,416	0	1,945	1,175	6,166	9,237	127	0	26,993	38,761	68	1,436	31,933	42,083	342	11,694	582	42	42		172,62
Uganik	1,701	o o	2,241	772	4,862	10,667	208	o	23,182	56,404	49	1,390	39,046	80,787	39	9,893	562	0	0		230,10
Karluk <sup>b</sup>	. 0		•		-	٠			•	-		•	•	•		•					
	0																				

Table 8. (page 2 of 2)

										Ages											
Year	Sample																				
Area	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	3.4	4.3	4.4	Total
1994																					
Uyak	3,069	0	456	42	3,014	110,776	336	0	15,664	57,822	231	136	9,306	20,362	99	2,973	31	31	147		221,395
Uganik	2,582	0	2,217	783	4,547	88,716	2,724	0	16,333	<b>52,665</b>	908	146	12,713	12,723	0	1,550	345	345	0		196,373
Karluk	349	63	693	63	946	2,709	630	0	1,387	11,153	189	63	1,449	2,521	0	126	0	0	0		21,992
Sturgeon d	349		122	11	167	479	111	0	245	1,971	33	11	256	446	0	22	0	0	0		3,887

<sup>&</sup>lt;sup>a</sup> Appropriate Karluk escapement sample (adjusted to 100% after removing age .1 fish) was used to calculate the age composition of the catch .

<sup>&</sup>lt;sup>b</sup>No commercial catch post July 15.

<sup>&</sup>lt;sup>c</sup> Commercial fishery closed due to Exxon Valdez oil spill.

<sup>&</sup>lt;sup>d</sup> Inner and Outer Karluk Sections catch sample used to represent Sturgeon Section catch.

Table 9. Karluk early and late run sockeye salmon estimates, 1985-1994.

					<u>Y</u>	ear					_	1985-9	4 (excluding 19	89)
	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1985-94 average	average	rang	je
Run														
Escapement	316,688	358,756	354,094	296,510	349,753	196,197	243,069	217,152	261,167	260,771	285,416	278,267	196,197	358,
Catch * Total	28,325 345,013	116,193 474,949	77,156 431,250	35,235 331,745	0 349,753	32,021 228,218	28,137 271,206	246,522 463,674	282,091 543,258	186,888 447,659	103,257 388,672	114,730 392,997	28,137 228,218	282, 543,
Run														
Escapement	679,260	528,415	412,157	282,306	758,893	541,891	831,970	614,262	396,288	587,258	563,270	541,534	282,306	831
Catch <sup>b</sup> Total	168,325 847,585	297,043 825,458	170,017 582,174	127,723 410,029	3,480 762,373	990,663 1,532,554	1,097,826 1,929,796	442,693 1,056,955	231,940 628,228	106,322 693,580	363,603 926,873	403,617 945,151	106,322 410,029	1,097 1,929
bined Runs														
Escapement Catch Total	995,948 196,650 1,192,598	887,171 413,236 1,300,407	766,251 247,173 1,013,424	578,816 162,958 741,774	1,108,646 3,480 1,112,126	738,088 1,022,684 1,760,772	1,075,039 1,125,963 2,201,002	831,414 689,215 1,520,629	657,455 514,031 1,171,486	848,029 293,210 1,141,239	848,686 466,860 1,315,546	819,801 518,347 1,338,148	578,816 162,958 741,774	1,075 1,125 2,201

<sup>&</sup>lt;sup>a</sup> Karluk catch estimates through 15 July using age 3. marker analysis.
<sup>b</sup> Karluk catch estimates post 15 July using age 3. marker analysis.

Table 10. Estimated Karluk early run sockeye salmon run numbers by age class, 1985-1994.

	Sample								A	ges											Tota
Year	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	3.4	4.2	4.3	4.4	Rur
1985	2,728	0	0	1,244	0	8,558	18,604	0	11,635	193,760	4,085	0	50,484	45,654	0	10,989	0	0	0	0	345,013
1986	5,442	0	0	143	841	4,650	5,466	0	3,735	278,831	1,672	0	103,899	60,395	641	14,673	0	0	0	0	474,949
1987	4,051	0	0	0	564	8,159	7,032	0	21,058	197,293	4,169	0	117,158	38,129	0	37,689	0	0	0	0	431,250
1988	5,672	0	0	0	0	4,090	8,393	0	14,244	149,947	1,728	0	93,560	37,079	272	22,433	0.	0	0	0	331,745
1989	1,394	0	24	0	24	4,258	2,842	0	5,830	97,537	738	0	183,829	33,945	0	20,728	0	0	0	0	349,753
1990	4,501	0	427	0	337	6,152	2,201	0	3,969	72,857	3,010	0	94,258	30,589	337	14,082	0	0	0	0	228,218
1991	3,305	0	0	0	1,456	958	2,884	346	6,443	87,691	4,031	0	88,599	57,934	908	19,634	0	0	0	320	271,206
1992	4,864	0	0	1,621	0	8,383	6,297	0	8,503	114,504	19,876	94	129,381	131,218	1,955	40,331	0	1,508	0	0	463,674
1993	6,872	0	0	111	0	8,182	6,228	0	9,353	81,241	11,255	401	42,441	321,664	462	59,627	38	2,225	30	0	543,258
1994	7,028	0	0	1,224	0	18,149	2,780	0	13,979	104,564	5,517	0	37,096	202,729	285	60,244	235	744	113	0	447,659

Table 11. Karluk early run sockeye salmon estimated returns from parent escapements, in numbers of fish by age, for selected years.

								Α	ges											Total	Retur
Year	Escap.	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	3.4	4.2	4.3	4.4	Return	Spawn
1976	204,037																		0		
1977	185,312															0		0	0		
1978	248,741													O	10,989	0	0	0	0	10,989 <sup>a</sup>	
1979	212,872										0	50,484	45,654	641	14,673	0	0	0	0	111,453 a	
1980	132,396						0	11,635	193,760	4,085	0	103,899	60,395	0	37,689	0	0	0	0	411,464	3
1981	97,937			0	8,558	18,604	0	3,735	278,831	1,672	0	117,158	38,129	272	22,433	0	0	0	0	489,391	5
1982	122,705	0	1,244	841	4,650	5,466	0	21,058	197,293	4, 169	0	93,560	37,079	0	20,728	0	0	0	320	386 408	3
1983	215,620	0	143	564	8,159	7,032	0	14,244	149,947	1,728	0	183,829	33,945	337	14,082	0	0	0	0	414,009	1
1984	288,422	0	0	0	4,090	8,393	0	5,830	97,537	738	0	94,258	30,589	908	19,634	0	0	0	0	261,977	0
1985	316,688	0	0	24	4,258	2,842	0	3,969	72,857	3,010	0	88,599	57,934	1,955	40,331	38	1,508	30	0	277,355	0
1986	358,756	24	O	337	6,152	2,201	346	6,443	87,691	4,031	94	129,381	131,218	462	59,627	235	2,225	113		430,579	1
1987	354,094	427	0	1,456	958	2,884	0	8,503	114,504	19,876	401	42,441	321,664	285	60,244		744			574,387	1
1988	296,510	0	0	0	8,383	6,297	0	9,353	81,241	11,255	0	37,096	202,729							356,355 a	
1989	349,753	0	1,621	0	8,182	6,228	0	13,979	104,564	5,517											
1990	196, 197	0	111	0	18, 149	2,780															
1991	243,069	0	1,224																		
1992	217,152																				
1993	261,167																				
1994	260,771																				

<sup>&</sup>lt;sup>a</sup> Incomplete brood year data.

Table 12. Estimated Karluk late run sockeye salmon run numbers by age class, 1985-1994.

	Sample	Ages																			
Year	Size	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	3.4	4.2	4.3	4.4	Tota
1985	5,782	0	0	0	O	5,158	13,129	0	446	596,053	4,476	0	54,171	167,426	0	6,728	0	0	0	0	847,585
1986	4,707	0	0	0	0	0	1,261	0	0	402,872	2,521	0	156,074	177,587	0	85,143	0	0	0	0	825,458
1987	6,066	169	885	0	4,079	4,160	12,830	0	5,239	290,631	606	0	187,293	49,557	1,190	25,537	0	0	0	0	582,174
1988	6,119	0	0	0	0	445	6,246	0	480	241,803	1,268	0	110,997	34,711	0	14,077	0	0	0	0	410,029
1989	1,345	106	893	0	1,084	30, 165	212	0	30,516	424, 123	0	31	213,452	42,156	0	19,631	0	0	0	0	762,373
1990	6,685	0	5,976	201	15,519	39, 109	978	189	60,235	784,914	494	937	303,542	271,018	2,070	47,370	0	0	0	0	1,532,554
1991	6,828	0	2,531	111	17,067	24,703	1,737	105	57,974	835,214	1,162	595	493,743	421,972	471	71,764	0	651	0	0	1,929,796
1992	5,013	0	3,555	799	2,424	4,649	1,512	0	550	226,552	2,373	0	114,862	655,219	462	43,998	0	0	0	0	1,056,955
1993	6,476	0	3,574	958	3,700	5,881	12,440	0	3,112	188,313	7,153	0	23,280	319,288	560	59,602	42	325	0	0	628,228
1994	7,412	0	7,113	340	6,292	16,995	3,241	0	3,302	308,439	6,233	0	71,078	212,649	79	54,451	145	1,600	1,623	0	693,580

Table 13. Karluk late run sockeye salmon estimated returns from parent escapements, in numbers of fish by age, for selected years.

			Ages															Total	Retur			
Year	Escap.	0.1	0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	3.4	4.2	4.3	4.4	Return	Spawn
1976	319,459																			0		
1977	366,936																0		0	0		
1978	112,194														0	6,728	0	0	0	0	6,728 ª	
1979	248,908											0	54,171	167,426	0	85,143	0	0	o	٥	306,739	
1980	14,227							0	446	596,053	4,476	0	156,074	177,587	1,190	25,537	0	0	o	0	961,363	67.
1981	124,769				0	5,158	13,129	0	0	402,872	2,521	0	187,293	49,557	0	14,077	0	0	0	0	674,607	5.4
1982	41,702		0	0	0	0	1,261	0	5,239	290,631	606	0	110,997	34,711	0	19,631	0	0	0	0	463,075	11.1
1983	220,795	0	0	0	4,079	4,160	12,830	0	480	241,803	1,268	31	213,452	42,156	2,070	47,370	0	0	0	0	569,699	2.0
1984	131,846	0	885	0	0	445	6,246	0	30,516	424,123	0	937	303,542	271,018	471	71,764	Q	651	0	0	1,110,598	8.4
1985	679,260	169	0	0	1,084	30,165	212	189	60,235	784,914	494	595	493,743	421,972	462	43,998	42	0	0	0	1,838,274	2.
1986	528,415	0	893	0	15,519	39,109	978	105	57,974	835,214	1,162	0	114,862	655,219	560	59,602	145	325	1,623		1,783,290	3
1987	412,157	106	5,976	201	17,067	24,703	1,737	0	550	226,552	2,373	0	23,280	319,288	79	54,451		1,600			677,963	1.0
1988	282,306	0	2,531	111	2,424	4,649	1,512	0	3,112	188,313	7,153	0	71,078	212,649							493,531	
1989	758,893	0	3,555	799	3,700	5,881	12,440	0	3,302	308,439	6,233										344,349 a	
1990	541,891	0	3,574	958	6,292	16,995	3,241															
1991	831,970	0	7,113	340																		
1992	614,262																					
1993	396,288																					
1994	587,258																					

<sup>&</sup>lt;sup>a</sup>Incomplete brood year data.




Figure 1. Map of Kodiak Island, identifying the location of the Karluk River drainage.




Figure 2. Map showing the Northwest and Southwest Kodiak Districts and Sections from Raspberry Cape south to Sturgeon Head.




Figure 3. Karluk River drainage, Kodiak Island, Alaska.




Figure 4. Estimated Karluk early and late run sockeye salmon escapement timing, 1983-1994.




Figure 5. Average percent age 3. (3.2, 3.3, 3.4) fish from selected escapements through 21 July, 1990 through 1994.




Figure 6. Average percent age 3. (3.2, 3.3, 3.4) fish from selected escapements post 21 July, 1990 through 1994.




Figure 7. Relative frequency of age 3. (3.2, 3.3, and 3.4) sockeye in Karluk escapements through 21 July and catches from Uyak and Uganik Bays through 15 July, by year, 1985-1994.




Figure 8. Relative frequency of age 3. (3.2, 3.3, and 3.4) sockeye in Karluk escapements post 21 July and catches from Uyak and Uganik Bays post 15 July, by year, 1985-1994.




Figure 9. Contribution of Karluk origin sockeye salmon to the Uyak Bay (254-10-254-40) commercial fishery, by week, 1992.




Figure 10. Contribution of Karluk origin sockeye salmon to the Uyak Bay (254-10-254-40) commercial fishery, by week, 1993.




Figure 11. Contribution of Karluk and Spiridon origin sockeye salmon to the Uyak Bay (245-10-40) commercial fishery, by week, 1994.




Figure 12. Karluk early run sockeye escapements and estimated catches by year, 1985-1994.




Figure 13. Karluk late run sockeye escapements and estimated catches by year, 1985-1994.

**APPENDIX** 

Appendix A.1. Spreadsheet template used to estimate the Karluk contribution to westside catches using the age 3. marker.

		Aqe																
		0.2	1.1	0.3	1.2	2.1	0.4	1.3	2.2	3.1	1.4	2.3	3.2	2.4	3.3	4.2	4.4	Tota1
	shery Est. #	102	224	328	4,230	102	0	20,363	20,773	0	328	11,872	2,775	0	224	0	0	61,321
	shery est. #	102		328	4,230		0	20,363	20,773		328	11,872	2,775	0	224	0	0	60,995
w/o *.1 fi	ishery est. %	0.2%	0.0%	0.5%	6.9%	0.0%	0.0%	33.4%	34.18	0.0%	0.5%	19.5%	4.5%	0.0%	0.4%	0.0%	0.0%	100.0%
Actual Ka	rluk esc. est. #	0	1,244	0	7,828	18,604	0	10,664	176,282	4,085	0	46,083	41,742	0	10,157	0	0	316,688
w/o * .1 Ka	arluk esc #	0		0	7,828		0	10,664	176,282		0	46,083	41,742	0	10,157	0	0	292,756
v/o * .1 Ka	arluk esc %	0.0%	0.0%	0.0%	2.7%	0.0%	0.0%	3.6%	60.2%	0.0%	0.0%	15.7%	14.3%	0.0%	3.5%	0.0%	0.0%	100.0%
w/o 3.2&3Ka	ırluk esc %	0.0%	0.0%	0.0%	3.3%	0.0%	0.0%	4.4%	73.2%	0.0%	0.0%	19.1%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%
Karluk cont		0	0	0	452	0	0	616	10,187	0		2,663	2,775	0	224	0	0	16,917

The Alaska Department of Fish and Game administers all programs and activities free from discrimination based on race, color, national origin, age, sex, religion, marital status, pregnancy, parenthood, or disability. The department administers all programs and activities in compliance with Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972.

If you believe you have been discriminated against in any program, activity, or facility, or if you desire further information please write to ADF&G, P.O. Box 25526, Juneau, AK 99802-5526; U.S. Fish and Wildlife Service, 4040 N. Fairfax Drive, Suite 300 Webb, Arlington, VA 22203 or O.E.O., U.S. Department of the Interior, Washington DC 20240.

For information on alternative formats for this and other department publications, please contact the department ADA Coordinator at (voice) 907-465-6077, (TDD) 907-465-3646, or (FAX) 907-465-6078.